



ANTHONY HORDERNS' SPORTS CATALOGUE



ANTHONY HORDERN & SONS,


LIMITED.

UNIVERSAL PROVIDERS.

NEW PALACE EMPORIUM,

BRICKFIELD HILL, SYDNEY.





From the collections of Sydney Living Museums / Historic Houses Trust of NSW

PRICE LIST



Motor Cycles,
Bicycles, Bicycle Sundries,
Cricket, Golf, Tennis,
Croquet, Bowls, Football,
Lacrosse,
Quoits, Athletics,
Billiards and Indoor Games,
Guns and Ammunition,
Fishing Tackle, etc.



ANTHONY HORDERN & SONS, LIMITED.

...ONLY UNIVERSAL PROVIDERS...

NEW PALACE EMPORIUM, BRICKFIELD HILL, SYDNEY.

Wholly set up and printed in Australia, by ANTHONY HORDERN & SONS, LTD., at their Works, Swan St., Sydney.

ANTHONY HORDERN & SONS, LTD.

New Palace Emporium

. . . On the Historic Slope of Brickfield Hill. . .

With frontages in GEORGE, GOULBURN and PITT STREETS of over a thousand feet, and containing nearly twenty acres of floor space for the display of goods and the convenience of customers.



The NEW STORE is, in MANY WAYS, THE MOST REMARKABLE of its kind ever erected. It is certainly . . .

THE BIGGEST STORE

in Australia; and in the GREAT CITIES of AMERICA, and among the PALATIAL PALACES of TRADE in EUROPE, while there ARE FEW RETAIL EMPORIUMS that can boast of LARGER SPACE and greater conveniences, there are also many CELEBRATED STORES, that, on comparison, would have to GIVE IT BEST.

TERMS: SPOT CASH.

ROYAL ENFIELD MOTOR CYCLES

The most UP-TO-DATE and RELIABLE
MOTOR CYCLES ON THE MARKET.

Embodying features which are looked for in vain in other makes.



HERE are few Motor Cycles to-day which have a more "clean" yet business-like look than the two Royal Enfield Models. There is an air of gentility about them, yet withal they are capable of making a fine turn of speed when occasion demands it. The Enfield Company are no novices in the Motor Cycle industry. They were one of the pioneer firms in the early days, and their experience and knowledge are alike reflected in the two handsome Models which they are turning out in ever-increasing numbers. The distinguishing feature in the appearance of the Enfield Models is the curved top tube, there is no missing an Enfield machine as it glides past, if this is looked for. The constructional advantages are many, and include the Enfield two-speed gear—a remarkable piece of mechanical efficiency—the Cush drive, the girder forks, improved front and rear mud-guards, with engines of the twin cylinder type. No single cylinder engine can ever be run with the smoothness, silence and flexibility of a well-balanced Twin, and that is one of the secrets of the unalloyed success of the Royal Enfield Models.

Another great factor in the success of the Enfield Models is the stringent precautions which are taken throughout every process of manufacture. The smallest parts undergo the most rigid examination, and from first to last there is a strict system of inspection by thoroughly competent engineers.

The popular 3 h.p. two-speed and free engine Enfield is a model of neatness, as the illustration shows. The footboards are long and comfortable, the transmission by roller chain to the rear wheel, the mudguards extending over the wheels affording ample protection from the elements, and the magneto mounted in a position away from all likelihood of damage. A "kick starter" lever is fixed on the right-hand side of the machine just behind the magneto, by sharply kicking down the lever and simultaneously dropping the exhaust valve lifter the engine is instantly started. No unsightly cables litter the handlebar; they are carried inside, and only the control levers appear outwardly. The handlebar is made remarkably strong by a lateral bridge. The engine dimensions are 60 m/m by 75 m/m. A noticeable feature of the tank is that it is attached to the frame by two supports of registered design, brazed to the middle tube of the frame. The weight, being supported from the bottom, enables the tank to be constructed with the joint at the top, thus obviating any possibility of leakage.


The mechanically forced lubrication fitted to the 3 h.p. model has been declared by experts to be the most perfect system yet evolved in motor cycle design. The oil is carried in a tank at the back of the down tube, and one of two pumps, fitted outside the timing gear case, inducts the oil to the engine; thence, after lubricating each cylinder, the second (expulsion) pump forces the oil back again into the tank. When the engine is running there is a continuous circulation of oil, thoroughly and equally lubricating each cylinder.

The Enfield two-speed gear and free engine which is fitted to this machine, and also to the 6 h.p. side-car Model calls for special mention. Briefly, the power is transmitted from sprockets on the engine shaft by two chains, one for each gear, to a counter-shaft in the bottom bracket, which contains the two-speed mechanism. The final drive from the counter-shaft to the back wheel is by a chain on the right-hand side of the machine. The engine chains are exceptionally well guarded, although the cover may be easily removed when required. The engine shocks are greatly absorbed by the slipping clutch on the engine shaft, and also by the patent Cush drive. This simple but ingenious device is the outcome of considerable experimenting by the Enfield Company. It is placed in the rear hub, the driving sprocket having a hollow cup in which are set three metal vanes, an inner drum provided with three similar vanes fits into the sprocket wheel, and between each two vanes is a rubber block or buffer. The power is transmitted through three of the buffers, the other three taking the shock of any recoil.

The 6 h.p. side-car combination is a veritable vehicle de luxe. The dimensions of the engine are 75 m/m by 85 m/m. The two-speed gear and free engine is fitted in conjunction with the slipping clutch and Cush drive. It is a powerful machine, and every detail of it has been designed solely with the idea of it being used for passenger work. Perfect alignment of the machine and side-car are assured by the side-car fittings being permanently built in as an integral part of the frame. No bending of the fittings when attaching the side-car is possible, and the machine always steers perfectly, and imposes no undue wearing strain on the tyres. On the three wheels grooved motor car tyres (650 m/m by 65 m/m) are fitted, a necessity for side-car work as the Enfield people have realized.

ROYAL ENFIELD,

3 Horse Power Two-speed and Free Engine Model.



ENGINE.—Royal Enfield twin-cylinder, 60 x 75 m/m; mechanically operated overhead inlet valves, with working parts completely enclosed and dust-proof.

TWO-SPEED AND FREE ENGINE GEAR.—Royal Enfield Patent design; expanding clutch type, operated by the hand lever shown in illustration.

KICK-STARTER.—An entirely new type of "kick-starter" is fitted. The machine starts easily while the rider is seated in the saddle.

TRANSMISSION.—Roller chains, 5in. pitch, in conjunction with the Royal Enfield Cush Drive Hub.

CUSH DRIVE HUB.—The Royal Patent Enfield Cush Drive Hub is fitted to the rear wheel, ensuring, in conjunction with the chain transmission, a perfectly smooth and supple drive.

IGNITION.—New Bosch waterproof magneto, controlled from handle bar.

CARBURETTOR.—A.M.A.C. multiple jet.

LUBRICATION.—Royal Enfield Patent Mechanical Forced Feed Lubrication System. This marks an important improvement in the lubrication of motor cycles.

TANK.—Fitted with large glass-topped filler, with gauze strainer and needle valve to regulate flow of petrol. Lubricating oil is carried in separate tank. Petrol capacity, 14 gallons.

FRAME.—Royal Enfield design, dropped at back to give low saddle position; fitted with spring foot boards and registered spring forks.

MUD GUARDS.—Strong and wide, with front extension; side shields on both guards.

TYRES.—English Dunlop studded; front, 26in. x 2½in.; back, 26in. x 2½in.

BRAKES.—Powerful front rim brake actuated from handle bar, and rear brake operated by foot pedal.

SADDLE.—Specially large and well-sprung pan seat.

TOOL BAGS.—Two leather pannier bags, containing complete set of tools.

CARRIER.—Made from weldless tubular steel and strongly attached.

STANDS.—Two stands fitted, one for each wheel. Both stands fasten securely with spring clips.

FINISH.—Enamelled in best black enamel; tank artistically panelled in two shades of green. Usual parts heavily plated.


ALL SPARE PARTS IN STOCK.

Price - - £80.

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

ROYAL ENFIELD,

6 Horse Power Side Car Combination, with Royal Enfield Patent
Two-speed and Free Engine Gear.



ENGINE.—Royal Enfield twin-cylinder; bore of stroke, 76 x 85 m/m; mechanically operated inlet valves; exceptionally large J.A.P. silencer situated under footboard.

TWO-SPEED AND FREE ENGINE GEAR.—Royal Enfield Patent design; expanding clutch type; handle starting.

TRANSMISSION.—Roller chains, in conjunction with Royal Enfield Slipping Clutch and Patent Cush Drive Hub.

CUSH DRIVE HUB.—The Royal Patent Enfield Cush Drive Hub is fitted to the rear wheel, ensuring, in conjunction with the chain transmission, a perfectly smooth and supple drive.

IGNITION.—Latest Bosch magneto, controlled from handle bar; waterproof terminals.

CARBURETTOR.—A.M.A.C. multiple jet.

LUBRICATION.—Automatic visible drip feed and auxiliary hand pump.

TANK.—Two compartments; petrol capacity, 2 gallons; oil capacity, 1½ quarts.

FRAME.—Royal Enfield design, plenty of ground clearance; side car attachments are built into frame, which is fitted with footboards and our registered spring forks.

TYRES.—650 x 65 m/m grooved light car tyres on the three wheels.

MUD GUARDS.—Strong and wide, front extension and side wheels to each guard. Back guard is divided so that a portion swings down to facilitate tyre repair.

CARRIERS.—Made of specially strong steel tubing.

STANDS.—Stands for front and rear wheels and side car fitted.

HANDLE BAR.—Royal Enfield registered design; carburettor and magneto controls; concealed cables.

BRAKES.—Powerful front rim actuated from handle bar, and rear brake operated by foot pedal.

SADDLE.—Large and comfortable pan seat with excellent springs.

TOOL BAGS.—Two pannier bags with complete set of tools in roll up.

FINISH.—Attractively enamelled in best black enamel; usual parts heavily plated.

SIDE CAR.—Royal Enfield Chassis, with wicker body beautifully upholstered; exceptionally well sprung, and vibrationless and comfortable.

Price, complete with Side Car, £127/10/-

ANTHONY HORDERN & SONS, LTD. ONLY UNIVERSAL PROVIDERS

Bicycles Built of the Genuine B.S.A. Fittings.

Best Dunlop Tyres guaranteed for 12 months. Oceanic Tyres guaranteed for 6 months.

IN STOCK OR BUILT TO ORDER AT OUR OWN WORKS.

Among the many trades we follow is that of Bicycle Builders, and in this capacity we have met with the success which generally follows luck and perseverance.

THE "UNIVERSAL" BICYCLE

made at our Factory will be found worthy of attention, and we wish it to be distinctly understood that all the B.S.A. machines we sell are fully warranted. Genuine Dunlop Tyres carry the Company's liberal 12 months' guarantee.

BUILT TO ORDER AND IN STOCK. ALL GENUINE B.S.A. PARTS.



This transfer is affixed to our Universal Bicycles.

FRANCIS BIRTLES

...SELECTED...

ANTHONY HORDERNS' "UNIVERSAL" BICYCLE

Built at our Own Factory, of B.S.A. parts, for his great ride all round Australia. The machine carried a weight of nearly 24 cwt., having first been ridden by the overlander from Perth to Sydney, in 1909, a distance of 3056 miles.



Francis Birtles on The "Universal" Bicycle.

THE "UNIVERSAL" BICYCLE

Built by the highest skilled labor at our Own Factory, has demonstrated its worth as a reliable roadster, the identical machine ridden by Birtles on his Perth to Sydney trip, being used for his long ride all round Australia.

BUILT OF

GENUINE B.S.A. PARTS.

SPECIFICATION.

FRAME.—Best weldless, double butted, steel tubing, D stays narrow tread, beautifully enamelled black.

FRONT FORKS.—Box crown, D shaped sides, fork crown plated on copper.

WHEELS.—28in. x 1 1/2in. or 1 3/4in., double butted plated spokes, Westwood steel rims, specially enamelled.

HUBS.—B.S.A., oil-retaining, plated on copper.

CHAIN WHEEL.—1 1/2in. or 1 3/4in., detachable, 22 to 26 teeth, or 44 to 52 x 1 1/2in. or 1 3/4in.

CRANKS.—Detachable, 6 1/2in. or 7in., right and left threads, square.

HANDLE BARS.—Reversible or fixed, with cork grips.

SADDLE.—English.

CHAIN.—B.S.A., 1/2in. or 3/4in. roller or block.

PEDALS.—3 1/2in. B.S.A., rattrap, cross stays, right and left threads.

TOOLS.—Set of 3 B.S.A. wrenches, with tool bag.

BRAKE.—Duck, thumb.

FINISH.—Black enamel of the highest quality, all bright parts heavily plated on copper.

TYRES.—Best Dunlop-Welch vulcanised, fully guaranteed.

This Machine, complete with Inflator and Oil, fully guaranteed for 12 months £11/-

Can also be supplied fitted Dunlop Oceanic Vulcanised Tyres. Guaranteed by Company for 6 months £10/-

The same machine, fitted with Radie Coaster Hub, which includes free wheel, back pedalling brake and Dunlop tyres £11/10/-

With genuine B.S.A. free wheel clutch, and Bowden rim brake £12/10/-

With Radie Two-speed Coaster Hub, including free wheel on both gears, back pedalling brake (as used by Birtles, the overlander), and Brooks' saddle £12/10/-

Ladies' B.S.A. Bicycle, as above, including Celluloid Gear Guard 20/- extra

When ordering Cycles please state inside leg measurement.

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

THE UNIVERSAL SPECIAL BICYCLE.

Built of Genuine B.S.A. Parts.



SPECIFICATION.

FRAME.—Best weldless steel double butted tubing, D stays, narrow tread, beautifully enamelled, front and seat lugs nickel-plated, back stays plated from bridge to seat pillar.

FRONT FORK.—New pattern box crown, D shaped tubing, fork crown and tips plated on copper.

WHEELS.—28in. x 1 $\frac{1}{2}$ in. or 1 $\frac{1}{2}$ in., double butted nickel-plated spokes, Westwood steel rims, NICKEL-PLATED.

HUBS.—B.S.A., oil retaining, plated on copper.

CHAIN WHEELS.— $\frac{1}{2}$ in. x $\frac{1}{2}$ in. or $\frac{1}{2}$ in. or $\frac{1}{2}$ in. x 1in., detachable, 22 to 26 teeth, or 44 to 52.

CRANKS.—Detachable, 6 $\frac{1}{2}$ in. or 7in., right and left threads, square.

HANDLE BARS.—Flat, ram's horn, upturned, outrigger, Kelly or Major Taylor, heavily plated.

SADDLE.—Brooks' B10, B18, B90 or Champion.

CHAIN.—Roller, $\frac{1}{2}$ in. pitch x $\frac{1}{2}$ in. or $\frac{1}{2}$ in., or 1in. pitch x $\frac{1}{2}$ in.

PEDALS.—Rattrap, 3 $\frac{1}{2}$ in., B.S.A., cross stays, right and left threads.

TOOLS.—Set of 3 B.S.A. wrenches, with tool bag.


BRAKE.—Duck, thumb, or front rim brake.

FINISH.—Beautifully enamelled in black, deep red, or green, all bright parts heavily plated.

TYRES.—Best Dunlop Welch vulcanised, fully guaranteed.

This Machine, complete with Tool Bag, Inflator and Oiler, fully guaranteed for 12 months ... £12/-
The same machine, fitted with Eadie Coaster Hub, which includes free wheel and back pedalling brake ... £12/10/-
With genuine B.S.A. free wheel clutch and Bowden back rim brakes ... £13/10/-
With Eadie Two-speed Coaster Hub, including free wheel on both gears, and back pedalling brake ... £13/10/-
Ladies' B.S.A. Bicycle, as above, includes Celluloid Gear Guard ... 20/- extra


TOE AND TROUSER CLIPS, &c.



No. 504.

Nickel Toe Clips (No. 504)—
—/8, —/9, 1/- pair

Leather Straps for Pedal—
—/10, 1/- pair



No. 508

Inflator Clips (No. 508) ... —/4, —/6 pair



No. 505.


Trouser Clips (No. 505) —/4 pair
Dress Clips ... —/6 "

CUSTOMERS ORDERING BY POST are treated in the same way as customers buying at the counter. The same prices are charged, and selections are made from the same stocks. Everything sent to the country is carefully packed by experienced men.

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

ANTHONY HORDERNS' BUSHMEN'S UNIVERSAL BICYCLE.

Built of Genuine B.S.A. parts at our Redfern Factory.



NOTE the
Strengthening Stays
to stiffen
FRAME.
rendering this
Machine the
STRONGEST
MODEL MADE.

SPECIFICATION:

FRAME.—Best Weldless Steel Tubing, Double Butted. This is a specially strengthened frame. The front forks being supplemented with girder front forks, and also fitted with pair of extra back stays, these making it very convenient for strapping tanks for carrying water, making it, at the same time, an almost unbreakable frame.

WHEELS.—28 x 1 1/4 in. Double butted spokes, Westwood steel rims, specially enamelled.

HUBS.—B.S.A. front hub, Eadie Two-speed Coaster back hub, which includes free wheel on both gears, also back pedalling brake on each gear.

CHAIN WHEEL.—1 x 1 1/2 or 1 3/4 in., 48 or 52 teeth.

CRANKS.—7 in. right and left hand threads.

HANDLE BAR.—Flat, half dropped, Major Taylor or Kelly.

SADDLE.—Brooks' B 10.

CHAIN.—B.S.A. 3/32 or 1/4 x 1/2 in. roller.

PEDALS.—4 in. Rattrap.

TOOLS.—Set of 3 B.S.A. wrenches with tool bag.

BRAKE.—Front rim brake.

FINISH.—Black Enamel of highest quality, all bright parts heavily plated on copper.

TYRES.—Dunlop Bushmen's covers and heavy Dunlop tubes.

This Machine is complete with Inflator and Oiler, fully guaranteed for 12 months ... Price £13/10/-.

This is a Bicycle we can specially recommend to Bushmen, Shearers, etc., as a reliable machine, and will stand any amount of rough usage.

EADIE HUBS.

British made by British Labor.

"Links simplicity and security in an ideal manner."

Manufactured by The Birmingham Small Arms Co., Ltd., Birmingham and Redditch.

Eadie Two-speed Coaster Hub 27/6
Fitting same to any Bicycle 10/-

Eadie Coaster Hub 12/6
Fitting same to any Bicycle 6/-

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

BICYCLES BUILT OF B.S.A. FITTINGS.

LADY'S "UNIVERSAL" BICYCLE.



Lady's Universal Bicycle, fitted with **Black** Coaster Hub (including Free Wheel and Back Pedalling Brake), Blumel's Celluloid Gear Guard, complete with Dunlop Tyres, Inflator, Oilier, Tool Bag, and set of Tools—

£19/10/-

Lady's Universal Special

£18/10/-

The Lady's fittings are designed to take 28in. wheels, with clearance for 1 1/4 in. tyres; a frame very taking in appearance, the lines of which have been very carefully considered.

B.S.A. IN TOWN AND COUNTRY.

There is no doubt that the majority of the cycles used in Australasia are not required for racing purposes, but as a very necessary means of locomotion, and it is in this respect that the Universal Bicycle stands pre-eminent. We have already touched on the great importance of interchangeability, which can only be fully realised by the unfortunate cyclist who has purchased an imported bicycle and finds that in the event of any breakage his bicycle has to be laid up five or six months pending the special importation of duplicate parts. A rider of a Universal cycle need never fear this, as, being built of B.S.A. parts, wherever he is and of whatever date his bicycle may be, he will have no difficulty in getting any duplicate parts that may be required. When you add this fact to that other equally true fact that duplicate parts for B.S.A. fittings are seldom required, it is not surprising that the Commonwealth Government specify in their contract that B.S.A. fittings must be used throughout. The New Zealand Government also specify B.S.A. fittings in their contract, and the various Police and Military Authorities are equally particular in this respect. They always insist upon seeing the B.S.A. Trade Mark, and in this respect they set a good example to all classes of cyclists.

A B.S.A. FEATURE.

B.S.A. Fittings are made chiefly from steel forgings, as it has been proved by long experience that this is the only reliable method. The illustrations below will no doubt be of interest, showing, as they do, the comparative weights of the finished article and the steel forging from which the parts are made.



Steel Forging, 4 ozs. 6 drs.



Steel Forging, 16 ozs.



Steel Forging, 14 ozs.



Steel Forging, 23 ozs.



Finished Back Fork Ridge,
5 ozs.



Finished Box Crown,
4 ozs. 9 drs.



Finished Front Hub,
8 ozs. 12 drs.



Finished Rear Hub,
5 ozs. 4 drs.

ANTHONY HORDERN & SONS, LTD. ONLY UNIVERSAL PROVIDERS

To suit the needs of those requiring a lower priced Machine we offer the following: -

ROYAL ENFIELD BICYCLE

MADE LIKE A GUN

Manufactured by the Royal Enfield Cycle Co., Radditch, England.

SPECIFICATION:

FRAME.—22in. x 24in.
WHEELS.—28in. x 1 1/4in.
RIMS. Nickel-plated with black centres and edges.
TYRES. English Clipper.
HANDLE BARS.—Slightly dropped.
GRIPS.—Celluloid.
FRONT BRAKE.—Rim, with inverted lever.
BACK BRAKE.—Rim, with inverted lever.


FREE WHEEL.—Hyde.
MUD GUARDS.—Beaded edges.
CHAIN.—1/2in. x 1/4in. pitch.
GEAR.—74.
CRANKS.—7in.
SADDLE.—Gough's G.O.
PEDALS.—Rat-trap, 4in.
FINISH.—Enamelled black, lined crimson and chrome.

Gent.'s Light Roadster

£9/-

THE MARATHON BICYCLE.

Built of Bown's Fittings, at our Radditch Factory.



SPECIFICATION:

FRAME.—Reynolds' Tubings.
FRONT FORKS.—Box crown, D forks, crown plated.
WHEELS.—28in. x 1 1/4in., nickel-plated, Westwood steel rims, plated spokes.
TYRES.—Continental Wyngel covers and tubes; guaranteed 9 months.
HANDLE BARS.—Reversible or half drop bar, with grips.

BRAKE. Phillips' front rim.
CHAIN.—1in. x 1/4in., roller
CHAIN WHEEL.—1in. x 1/4in., detachable, and 7in. crank.
SADDLE. English.
PEDALS.—1/2in., Phillips, rat-trap or rubber.
FINISH.—Black, stove enamel, of good quality.

Complete with Tool Bag, Set Tools, Oil Can, Inflator and Clips...

If fitted with Badie Coaster Hub ...

Or with Badie Two-speed Coaster Hub ...

Ladies' Marathon Bicycle ...

With Dunlop Tyres, 20/- extra.

£8/-
£6/10/-
£7/10/-
20/- extra

MARATHON BOY'S BICYCLE.

16in., 18in. and 20in. Frames,

If fitted with Badie Coaster

Specifications as above, but with smaller wheels ...
...
... £5/12/6
... £6/-

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.



WHERE TO LOOK FOR B.S.A. TRADE MARK ON B.S.A. CYCLE FITTINGS.

WE are frequently asked by users and would be users of these goods for information to assist them in satisfying themselves as to the genuineness or otherwise of some component part of B.S.A. set of fittings.

In order to anticipate any necessity which may arise for assistance in this matter, and to simplify the identification of B.S.A. parts, we now append a schedule showing clearly where to seek the distinguishing mark—either the piled ridges or the letters "B.S.A." which unfailingly appears on each part of a complete set of B.S.A. fittings.

Steering Head: On the front of the Handlebar Clip under the Lamp Bracket, on the Crown, and on the Lock-Nut.

Crank Bracket: On the face of each Crank, near the axle, and on the Cups, Chain Wheel and Axle.

Seat Pillar Lug: On one side only, in line with the Seat Post.

Back Fork Ends: On the outside of each Fork End, and on the Adjuster Cam.

Back Fork Bridge: Between the Tubes.

Back Stay Bridge: On the Top.

Hubs: In two places on the Barrel of each Hub, near the flanges, and on the Spindles.

Pedals: In two places on the Barrels, near the End Plates; and on the Spindles.

We would warn the public to insist, when ordering a B.S.A. Fittings Bicycle, that an entire set of B.S.A. parts be employed in its construction, and to take care that the reliability and value of the machines do not suffer by the introduction of inferior imitation components.

A set of B.S.A. Fittings comprises the following parts.—Steering Head, Bracket with Chain Wheel and Cranks, Seat Lug, Back Fork Ends and Chain Adjusters, Back fork Bridge, Back Stay Bridge, Hubs and Pedals. All these parts may be recognised from the illustrations given in the following pages. A bicycle assembled from these parts may be correctly described as a B.S.A. Fittings Bicycle.

GENUINE B.S.A. "BIKE" SUNDRIES.

Eadie Coaster Hub, which includes free wheel and back-peddalling brake	12/6	B.S.A. Wheel-fixing Screws	1/- doz.
Fitting same to any bicycle	8/-	" Lubricators	-/8 each
Eadie Two Speed Coaster Hub	27/6	" Chain Wheels	6/6 "
Fitting to Bicycle	10/-	" Cranks, 6 1/2 to 7 in.	10/6 pair
B.S.A. Wheels, less tyres, with Westwood steel rims		" Ball Heads	15/- each
Front, 13/6; Back, 16/6 each		" Stems and Crowns Brazed (rough)	6/6 set
B.S.A. set of parts	24/5/- set	" Pedals	9/- pair
" Back Pedalling Rim Brake Set, viz.:-		" Wrenches, set of 3	2/9 set
Spindle with Crank, Crank Clutch and		" Chain, 3/16 in. x 1/2 in. or 3/16 in.	4/9 each
B.P. Rim Brake	22/6	" Cotter Pins	/6 "
Pair B.S.A. Hubs including Hub Wheel	14/- pair	" Pedal Dust Caps	-/6 "
B.S.A. Hub Cones	9 each	" Cones	-/9 "
" Caps	-/6 "	" Ball Races	/9 "
" Wheels	1/- "	" Forks, Crown and Stem, brazed, enamelled and crown plated	1/- 6 set
" Free Wheel Clutch	4/6 "	" Set (3) Tubes	5 "
" Hub Nuts	-/3 "	" Seat Lugs	4 each
" Spindles	-/6 "	" Back Forks (not brazed)	2/- pair
" Bottom Brackets, with cranks and chain wheel	25/- "	" Stays	4/- "
" Bracket Cups	1/3 "	" Front Fork Blades (rough)	2/6 "
" Bracket Spindles	2/6 "	" Front Fork Ends	5 "
		" Fork and Stay Ends	5 set

ANTHONY HORDERN & SONS, LTD. ONLY UNIVERSAL PROVIDERS

THE EADIE TWO-SPEED COASTER.



The Eadie Two-speed Coaster ... 27/6

* That the undoubted advantages of the combination of a variable gear with an efficient brake control situated in the hub and actuated by the pedal are thoroughly realised, is more than evident by the ever-increasing number of users of this practical and efficient device.

This hub is constructed on the most improved and scientific lines. It is perfect in action, constant in drive, powerful in braking, and frictionless in free wheeling.

Comparison with other devices of this class at present upon the market will not fail to convince you of the superiority of this hub, not only in regard to its internal mechanism, but more especially its proportions and difference in weight.

With these all-important factors in its favor, and its triumphal emergence from the severest tests to which it has been subjected, it is little wonder that it has attained for itself a far-famed reputation.

The Variable Gear.—Fixed to the spindle is a dog clutch (A), and sliding on the former is the central pinion (B), having a dog catch formed on the end. The sliding of this pinion is actuated by a control lever attached to the frame top tube or handlebar. This pinion (B), when the hub is running on the normal or high gear, engages with the chain wheel centre (C) and the four planet pinions (D). The whole are securely locked together, enabling the hub to run solid, as in the case of an ordinary hub.

When the position of the control lever is changed the central pinion (B) is immediately released and slips back into engagement with the dog clutch (A), the drive being transmitted through the planet pinions and the gear thereby reduced 23·8 per cent.

The Brake.—The expansion of the phosphor-bronze ring in this brake is effected by the movement of the lever (K) by a backward rotative movement of the cone (E); this is effected by the movement of the screwed clutch nut (F), which is actuated by the driving screw (H) on moving the pedals in a backward direction.

A slight backward pressure on the pedals sets up the required movement of the lever (K), expands the phosphor-bronze band (I), and brings same into contact with the hardened steel hub flange.

The Drive.—A forward pressure of the pedals carries the clutch nut (F) towards the chain side and engages same with the coned cup (J), which is integral with the hub shell and forms in engagement a friction-driving clutch of absolute efficiency.

The Free Wheel. When the pedals are stationary the clutch nut (F) automatically recedes to the left out of contact with the cup (J) and into contact with the cone (E)—ready for instant braking purposes—leaving the hub shell to revolve freely on the bearing (G).

Lubrication. This is effected by means of the lubricator fitted in the centre of the hub shell, and the use of thin sperm oil is recommended for this purpose.

The proper lubrication of the brake is of the utmost importance. To prevent overheating of the hub shell and phosphor-bronze ring, the brake must be carefully lubricated with a heavy lubricant through the oil hole provided for the purpose, which will be found on the outside of the brake flange.

The hub can be supplied in 1 $\frac{1}{2}$ in. chain line, with 16, 18, 20 $\frac{1}{2}$ in. pitch, 8, 9, 10 $\frac{1}{2}$ in. pitch cogs.

THE EADIE COASTER.



The Eadie Coaster 12/6

Every year an increasing number of cyclists acquire a more intimate knowledge of the advantages obtained from the use of the Eadie Coaster Hub. The combination of perfect brake control and frictionless free wheel makes it an ideal fitment for those who prefer a pedal-actuated brake. The Eadie Coaster creates confidence, because it links security with simplicity.

There is no multiplicity of parts; each part has its own definite work to perform, consequently complications are avoided, and efficiency increased.

The direct action of the Eadie Coaster gives the rider complete control over his bicycle, either down the steepest hill or in traffic, for the slightest backward pressure of the pedal is all that is necessary to apply the brake.

With the Eadie Coaster fitted, the rider can dismount by the pedal and wheel his machine backwards without bringing the brake into operation.

A study of the details of the mechanism employed will give the reader a better knowledge of this famous fitment.

The Brake—The Brake is brought into operation in the following manner:—

The expansion of the steel band A is effected by the movement of the lever B connected with the cone C, which is put in action by the movement of the internally-threaded cone D, the latter being forced along the spindle by the engagement of its internal threads, with the external threaded driving cone E, which is actuated from the chain wheel.

A slight backward pressure of the pedals sets up the required movement of the lever B, expands the steel band, and brings same into contact with the phosphor-bronze ring F, fixed in the hub flange G.

The Drive—A forward pressure of the pedals carries the cone D towards the chain side, and engages same with the cup H, which is screwed into the hub shell, and forms in engagement a friction driving effect.

The Free Wheel When the pedals are steady the cone D recedes to the left out of contact with the cup H and remains stationary in the centre of the hub, leaving the latter to revolve independently on the bearings I.



See details of Eadie Coaster

B.S.A. PATENT BACK PEDALLING RIM BRAKE.



B.S.A. Back Pedalling Rim Brake, suitable for B.S.A. frames; fitted with detachable shoes 22/6

The B.S.A. Back Pedalling Brake is still a great favorite with cyclists, and is practically the most powerful brake on the market. It is fitted with a patent clutch release action, by which means the bicycle may be wheeled backwards. A forward movement of the machine automatically restores the action of the brake.

ANTHONY HORDERN & SONS, LTD. ONLY UNIVERSAL PROVIDERS

B.S.A. HUBS.

B.S.A. Hubs—dust proof and absolutely on retaining, free from any complication whatever—are recognised to-day as being as near mechanical perfection as the most extreme care and skill, combined with the finest selected material, can bring them.



Front Hub 5/-



Back Hub (Including Hub Wheel) ... 9/-

B.S.A. Hubs can be supplied with Chain Wheels in either 1in. or $\frac{3}{4}$ in. pitch, and for $\frac{3}{4}$ in., $\frac{1}{2}$ in. or $\frac{1}{4}$ in. Chain; they are also suitably screwed to take the **B.S.A. Mark 1 Free Wheel Clutch**, and when so fitted to give a perfectly correct chain-line for whatever class of frame they are supplied.

To adjust the **B.S.A. Rear Hub**, loosen the spindle nut on foot step as the case may be on the left side of the machine, then insert the large end of the thin spanner on the flat of the cone between the hub and the cam, screwing it up sufficiently to take up the wear, yet allowing the wheel to run freely.

With the **Front Hub**—the spindle nut on the left side of the machine must be loosened—then adjust for wear and tighten up as in the case of the back Hub.

NOTE. It is absolutely necessary that the adjusting of loose cone, which has two flats to receive the spanner, should be on the left side of the machine.

B.S.A. FORK ENDS.

The extreme simplicity of the manipulation of the **B.S.A. Cam Chain** adjustments, and the fact that the above cannot be thrown out of truth when the adjustment is effected, has undoubtedly been responsible for their success.

The illustrations show the system adopted, and the following instructions will be quite sufficient to enable the reader to successfully adjust the chain.

Loosen the footstep or the nut on the hub spindle on the left side of the machine, then the nut on the right side. Apply the square hole in the thin spanner (handle upwards) to the square end of the hub spindle, then turn towards the front of the machine until the chain is tight. Slightly turn the reverse way to slacken the chain sufficiently to ensure free running. Hold the spanner firmly in this position, keeping the cams and blocks in close contact, then with the other spanner tighten the left-hand nut or footstep, as the case may be. Remove the thin spanner and tighten up the right-hand spindle nut. The cams should be fixed on the hub spindle in the position shown in illustration above, *i.e.*, with the ends abutting against the fixed cam blocks.



Front Fork Ends, machined for D or Oval Forks—
—/9 pair

These are now supplied with all genuine B.S.A. Forks.



B.S.A. pair of Fork Ends and Adjusters



5/- pair

B.S.A. CRANK BRACKET.

In designing the B.S.A. Crank Bracket, the manufacturers have always kept fully before them the fact that this is the part of the bicycle where stress and strain are always greatest.

The latest model, while retaining all the essential features of the bracket which has given such excellent results during past years, embodies a new feature, in a Chain Wheel of original design.

The originality of the Chain Wheel may be seen from the illustration appearing on this page. This wheel has been designed on such lines as to retain the exceptional strength identified with previous patterns, while affording a distinctiveness, which may be of the utmost value to the cycling public, as the embodiment in its design of one of the B.S.A. Trade Marks renders its use on any machine but that built throughout of B.S.A. components an infringement of our Trade Mark rights, and prevents the possibility of buyers being misled by the fitting of a wheel of similar design but not of B.S.A. manufacture.

The bearings are constructed on the "two point" principle, and are dust-proof and oil retaining.

B.S.A. DISC-ADJUSTING CRANK BRACKET ADJUSTMENTS.

Loosen the locking ring, and after correct adjustment has been obtained by the screwing inward or outward of the left cup, tighten the Ring against the face of the bracket.

The cup on the chain side is screwed Left Hand thread, and has a solid collar which locks up to face on the bracket.

The cup on the left side is screwed Right Hand thread, and projects beyond the bracket face sufficient to allow for the locking ring.

B.S.A. Crank Brackets are made in the following sizes:—

Path Racer	...	1 $\frac{1}{2}$ "	Chain Line, 6 $\frac{1}{2}$ in. and 7in. Cranks.
Road Racer	...	1 $\frac{1}{8}$ "	" 6 $\frac{1}{2}$ in. and 7in. "
Light Roadster	...	1 $\frac{1}{4}$ "	" 6 $\frac{1}{2}$ in. and 7in. "
Ladies'	...	1 $\frac{3}{4}$ "	" 6 $\frac{1}{2}$ in. and 7in. "



B.S.A.

CRANK BRACKET.

Bracket Chain Wheels are made in the following sizes:—

For $\frac{1}{2}$ in. pitch chain, either $\frac{1}{2}$ in. or $\frac{1}{4}$ in. wide, 44, 46, 48 and 52 teeth.

For 1in. pitch chain, either $\frac{1}{2}$ in. or $\frac{1}{4}$ in. wide, 22, 24 and 26 teeth.

Bottom Bracket, complete with Chain Wheel and Cranks—

25/-

Or separately

Cranks	...	10/6 pair
Chain Wheel	...	5/6 each
Spindle	...	2/6 "
Bracket Cups	...	1/8 "
Cotter Pins	...	-/6 "

B.S.A. Registered Design.



IMPORTANT.—This Chain Wheel embodies the Registered Trade Mark in its design, and anyone fitting it to a machine other than B.S.A. will be seriously infringing the Trade Mark Rights.

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

FREE WHEEL.



Free Wheel Clutch ... 3/6

The Free Wheel Clutch illustrated on this page is a newly introduced **B.S.A.** clutch known as "Mark 1."

It is constructed on the most approved ratchet principle and run on parallel bearings of mathematical exactitude.

This Clutch has the back plate fixed to the centre by a special process which prevents the possibility of the relative positions of the two-ball races ever being disturbed. In addition to being supplied with **B.S.A.** fittings, these Free Wheels are made in a variety of sizes, suiting them for fitting on any standard hub, and for use with any style of chain.

B.S.A. CHAINS.

The most stringent conditions of continuous supervision prevail in the manufacture of **B.S.A.** Chains, which is carried on in a department specially laid out for the production of chains on the latest and most scientific lines.



Chain ... 4/9

As in every other department of the **B.S.A.** Works, the productions of this department have to pass the severest tests known in the cycle trade before they are allowed to leave the premises; every chain being tested to a breaking strain of 2000 lbs. **B.S.A.** Chains are made in $\frac{1}{2}$ in. pitch, $\frac{1}{2}$ in. and $\frac{3}{4}$ in. width, absolute accuracy of width and pitch guaranteed.



B.S.A. STEERING HEADS.

These can be supplied in the following patterns:—

The Steering Head (K) is very neat in design, and is fitted to all standard Machines; options are offered of the pattern head (B).

The **B.S.A.** Steering Head is made in the following standard sizes:—

1 in. over lugs, 10 in. frame	1/6 each
5 in. " " 22 in. " "	15/6 "
6 in. " " 24 in. " "	17/6 "



B.S.A. BRIDGES AND LUGS.

The following description of the Bridges and Lugs illustrated below will doubtless be found useful to intending purchasers.



S



B



B



B/2

Back Fork Bridges.—

Pattern S, for Path racing frame, with short base
1 1/2 in. C/L.

Pattern B, for Light Roadster or Lady's frames,
1 1/2 in. C/L.

Bridges any pattern 1/6 each

Seat Lugs.—

Pattern B, for Gent's frame.

" B/2, for Lady's frame.

Lugs 2/- each

B.S.A. PEDALS.

To the lay mind it is often a source of wonderment why the life of a B.S.A. pedal should be so much longer and its running so much sweeter than is the case with the pedals usually to be found fitted to most other bicycles, which, to the uninitiated eye, they so nearly resemble. The points of superiority of the B.S.A. pedals lie in the following details of design :

The B.S.A. Rat-trap Pedal is fitted with a patent cross stay, which not only enhances the rigidity of the frame, but prevents the bending inwards of the side plates, which so often happens where this stay is absent.

Both Rubber and Rat-trap Models are manufactured with centre tubes and ball races in one piece and fitted with socketed end plates planed over the coned ends of the centre tube, thus ensuring a solidity and accuracy in running which it is impossible otherwise to obtain.



Rat-trap Pedals ... 9/- pair



Rubber Pedals ... 9/- pair

B.S.A. Pedals are obtainable in the following sizes:—Rat-trap, 3 1/2 in., 3 3/4 in., 4 in.; Rubber, 3 1/2 in.

B.S.A. SPANNERS.

The production of reliable and durable spanners, such as those illustrated on this page, and which bear the B.S.A. Trade Mark, entails a number of extensive operations, and there is ample evidence to prove that riders of bicycles built of B.S.A. fittings fully appreciate these spanners, as they realise the importance of having a correctly-fitting spanner for the various nuts, cups, and cones. B.S.A. Spanners are so designed that they will fit every nut, cup, and cone found on a bicycle built of B.S.A. fittings.



B.S.A. Spanners set of 3 ... 2/11

THE DUNLOP PNEUMATIC CO.'S GOODS.

Butt-ended Motor Cycle Tubes supplied at an advance
of 1.6 each on above prices.

Solution—1 lb. tin, 1/8; 1 lb. tin, 3/4; 1 large, 6 in. tube
7/7; medium, 4 in. tube
Inflator Tubing, light
...
Cover Repair Bands
Canvas Halls, Solutioned, for repairs
Rubber Frame Protectors
Duck Brake Rollers
Patching Rubber
Inflator Connections
Valve Rubber

18

LUCAS' ACETYLENE LAMPS.



"KING OF THE ROAD"
MOTOR CYCLE
PROJECTOR
WITH SEPARATE GENERATOR

The Lucas' "King of the Road" Motor Cycle Projector, with separate Generator, nickel-plated. Complete set—One Projector, with Generator, Bracket and Tubing, No. 438 60/- set


Built on similar lines to our best Motor Car Projectors, this Lamp is fitted with a Mangin Lens Mirror and Parabolic Reflector, Projector—Height, 5 1/2 in. Weight, 2 1/2 lb. Price, 5/6. Glass, 4/6. Burns about 4 1/2 hours.

Lucas' Motor Cycle Set, No. 452. Complete with Projector, Lamp Bracket, Generator with Bracket for Top Tube £2/5/-



20th Century Motor or Driving Lamp, Acetylene Gas—
30/-

20th Century "Driving," formerly known as "Auto-gas." Comparatively small and light weight, yet a powerful head light for the smaller classes of Automobiles, Carriages, &c., and are excellent side lights for larger kinds. Height, with Bell, 10 1/2 in. Diameter Front Reflector, 6 in. Weight, 36 lb.




The Acetophote, Nickel plated, Lucas' Acetylene Gas Lamp for Motor Cycles, No. 318 22/-


The "Motor Acetophote" has been specially constructed to give great illumination, and with a rigid frame, is order to withstand the excessive vibration of Motor Cycles. It is fitted with Double Burner, giving a fan-shaped flame. A hood screens the illumination of Identification Plates on Front Mud Guard Extension. Height, 8 in. Weight, 2 lb. Glass, 5/6. Burns about 4 1/2 hours.



Lucas' "Colonia" Plated Acetylene Gas Lamp, No. 260E. 7 in. High. 30 ozs. Weight. 3 1/2 Lens. Burns 3 1/2 Hours 13/- each




Lucas' K.O.R.A. Plated Acetylene Gas Lamp, No. 262E. 7 in. High. 32 ozs. Weight. 3 1/2 Lens. Burns 3 1/2 hours 16/- each



Lucas' "Calcio King" Plated Acetylene Gas Lamp, No. 318E. 7 in. High. 30 ozs. Weight. 3 in. Lens. Burns 3 1/2 hours 11/6 each

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

LUCAS' BICYCLE LAMPS.



Lucas' "Lucia" Acetylene Gas Lamp, No. 250. 5 1/2 in. High. 16 ozs. Weight. 3 1/2 in. Glass. Burns about 3 Hours ... 7/6 each



Lucas' "Silver King" Nickel-plated, No. 300. The World's Best Oil Lamp ... 11/6 each



Lucas' "Radia" Plated Acetylene Gas Lamp, No. 313. 7 in. High. 24 ozs. Weight. 3 1/2 in. Glass. Burns 3 1/2 Hours. Fitted with Handle ... 10/- each



Lucas' "Toura" Nickel-plated Oil Lamp ... 6/9 each



Lucas' "Lustra" Plated Acetylene Gas Lamp. 6 in. High. 16 ozs. Weight. 3 1/2 in. Glass. Burns about 3 hours ... 8/6 each



Lucas' "Captain" Nickel-plated Oil Lamp ... 5/6 each



Lucas' Oil Lamp, Nickel-plated ... 3/6 each

" " Japanned ... 2/6 "

Oil Bicycle Lamps, various makes 1/9, 2/3, 2/6, 3/6 each



Lucas' "Aecta" Acetylene Lamp, No. 316. Height, 5 1/2 in. Weight, 14 ozs. Glass, 2 1/2 in. Burns about 3 hours. nickel-plated ... 5/6 each

Miller's "Beto" Acetylene Gas Lamp ... 3/9 each



No. 501

Burner, for Acetylene Lamp (No. 501) ... -/4

Burner, for 20th Century Lamp ... -/10

Burner, for Lucas Lamps— -/6

No. 502

Lamp Brackets For Head (No. 502) ... -/3

" Axle ... -/3

" Fork ... -/6

Bicycle Oil, Burning ... -/6

Calcium Carbide ... 1-lb. tins -/6

Lucas' Forced Feed Oilers -

Motor Oiler, Brass ... 1/9

Petrol Squirts, Nickel, 7 in. ... 2/-

Oilers ... -/3, -/4, -/6

CYCLISTS' SUNDRIES.

Including on this, and the preceding and following pages, almost everything that a Cyclist wants.



No. A1.

Upturned Handle Bar, with Grips
(No. A1) ... 6/6



No. A2.

Major Taylor Handle Bar, with
Grips (No. A2) ... 9/6



No. A3.

Handle Bars—
Nickel-plated, Reversible—
(No. A3) ... 5/6



No. A4.

Handle Bars, Nickel-plated, Straight,
with Grips (No. A4) ... 5/6



No. A5.

Handle Bar, half drop, with Grips
(No. A5) ... 6/6



No. A6.

Kelly Handle Bar, with Grips—
(No. A6) ... 8/6



No. 3B.

Leather Tool Bags, for Saddle—
(No. 3B) ... 1/-, 1/3, 1/3, 2/3



No. 4B.

Frame Tool Bags (No. 4B) 1/3, 2/3



Bicycle Bells -/6, -/9, 1/-, 1/3, 1/6
Continuous Ring ... 8/6



No. 1X.

Cork Handle Grips (No. 1X) ... -/6 pair



No. 202.

Handle Grips—
Compressed Leather ... 1/- pair
Celluloid ... 1/- "
Ribbed Celluloid ... 1/- "
Sewn Leather ... 1/- "

Cycle Gaiters, Leather ... 2/6, 3/6 pair

MORE CYCLISTS' SUNDRIES.



No. 508.

Rubber Pedals, to screw in (No. 508)
B.S.A.

3/6 pair
9/-



No. 510.

Rattrap Pedals—

Rattrap Pedals (No. 510), to screw in B.S.A.
pattern ... 3/6 pair
B.S.A. Pedals ... 9/-



Ball Bearings—

$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$ in
-/2	-/2	-/2	-/4	-/8 doz.
-/9	-/4	1/9	2/9	4/- doz




No. 511.

Wrenches ... -/9, 1/3; No. 511, 1/-
B.S.A. Spanners, set of 2 ... 2/5



Mossberg Cycle Wrench, Nickel plated ... 1/3
Seabrook's " with Tyre Lever ... 1/3
Lucas' " Nickel plated ... 2/9
King Dick " Cycle size, No 1 ... 2/6
" " Motor " 2 ... 4/-



No. 512

Foot Pumps (No. 512) ... 2/-, 3/-, 4/-, 5/6, 10/-
Cycle Tyre Inflators ... 1/-, 1/6, 1/9, 2/-
Bluemel's Celluloid Inflators—
12in., 2/3; 15in., 2/6; 18in., 2/9
Lucas' Nickel Inflators, 18in. ... 4/-

Inflator Connections—

Rubber ... -/4
Braided ... /5
Wire ... - 8

Brakes—

Bowden Magnet Back Rim
Brakes ... 6/6
Bowden Popular Back Rim
Brakes ... 9/-
Bowden Rim, back wheel
(No. 518) ... 13/-
Bowden Rim, front wheel—
9/6
Duck Thumb ... 4/-
" Lever ... 4/6
Front Rim ... 2/6, 5/6
Rear " 5/6, 6/6, 8/6



No. 513.



Burnip's Chain Brush ... -/6
Tyre Brushes ... 1/-
Veeder Cyclometer, 10,000 miles ... 3/9



Motor Cycle Horns ... 2/9, 3/6, 4/6, 8/-


ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

CELEBRATED CRICKET BATS.

By Various Eminent Makers.



Ayres' International, as illustrated ... 20/-



The illustration shows Handle partly bound with tape, When finished, the Handle is covered with a rubber grip

Summers' Brown Patent Handle Force Bats, XXX ... 30/-
 " " " " XX ... 25/-



Gunn & Moore's Autograph Bat, specially selected, as illustrated ... 25/-
 " " " " extra specially selected ... 30/-



Bartlett's Favorite, with the Celebrated Repercussive Handle, as illustrated, specially made for Australia ... 22/8

" Patent Compressed, all Cane Handle ... 16/6

Dye's Champion. Made by an Australian for Australians ... 18/-

F. Dark & Sons' Patent Cork-cased Handle, with splendid spring, specially selected ... 21/-

Duke's Willow King Bats ... 20/-

" Century Bats, Cork Handle ... 17/6

" Best Practice Bats, Cork Handle ... 10/6

Warsop's all Cane Match Bat, with Conqueror Patent Handle, thoroughly reliable ... 20/-

Warsop's Superior, all Cane ... 16/6

Nicholl's Automatic Handle, Rubber or Chamois Covered Handle ... 23/6

Nicholl's all Cane and Rubber Handle ... 12/6, 15/6

Stuart Surridge Oval Driver ... 13/6

" " Standard Driver ... 16/6

" " Rapid Driver ... 21/-

" " " " specially selected 24/-

Gunn & Moore's Cannon Treble Spring ... 19/6

Spalding's Hayward Record Bats ... 28/6

" Hayward Century " ... 26/-

" County " ... 21/-

Shaw & Shrewsbury's Patent Double-spliced, all Cane ... 21/-

" No. 2, all Cane, Match ... 14/-

" No. 3, all Cane, special practice 8/9

Wyndett's all Cane Handle Bats, Bound Blades, full size ... 5/6

Bassett's Demon Driver ... 17/6

Patent Grip Rubber Bat Handles ... 1/9, 1/-

Bats bound ... from -/8 per inch
 New Handles fitted to Old Blades ... 4/8, 6/-, 7/6

New Blades fitted to Old Handles ... 10/6, 12/6, 15/-

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

THE GAME OF CRICKET.

Cricket Balls, by the Best Makers—

Duke's Renowned Cricket Balls—	
Match	5/9
Picked, stamped "P.K.D."	6/6
Wisden's Match	4/6
Crown	6/3
Composition Cricket Balls, full size and weight, impervious to damp—	
Nicholson's Patent Composed	4/3
Eclipse Match	2/3
Palace	1/6
Universal	1/-
Youths'	3/-

Stumps, with Bails—

Brass Top School Set	3/6 set
Iron shod, full size	6/-
Solid Brass Top, Steel shod	8/6
Revolving Brass Top, Steel shod	10/-

Scoring Books—

Limp Cloth, 24 matches	1/3
Stiff Cover, 24	2/-
Pocket Size	-/6, 1/3



No. 470.

Batting Gloves—

3 Tan Leather, best ventilated rubber (No. 470)—	
6/9 pair	
(No. 471)	7/6
5/9	
Surrey Shields	5/-



No. 471.



No. 472.

Wicket-keeping Gauntlets—

Tan Cape, Black India-rubber palms (No. 472)—	
9/-, 10/6, 12/6, 15/6 pair	
Tan Cape, ventilated	7/-, 8/6
White	4/9
Tan, ventilated	6/9, 7/6, 8/-
Lilley's Padded Tip, Rubber-faced	14/6

Cricket Mats, for double wicket—

In two pieces, each piece 8½ yds.—19½ x 2 yds., with bound ends, strong metal eyelets, with spikes, complete, Green, best quality ... 80/-

Stout Twine Cricket Nets, Steam Tarred—

Double Wing Nets, 42ft. long x 6ft. (No. 473)	29/6
Double Wing Nets, 42ft. long x 8ft.	38/6
English made, with posts, lines pegs and runners	
18ft. long x 6ft. high	14/-
18ft. long x 8ft. high	17/6



No. 473.

BOYS' CRICKET BATS.

Old	No. 1, 2, 3, 4, 5, 6
Polished and Spiced Handles—	
Nos. 1, 2, 3, 4, 5, 6	
1, 2, 3, 4, 5, 6	
All Cane Handle, Universal selected	Size 3, 4, 5, 6
Duke's Cork Handle, No. 6	9/-

Shaw & Shrewsbury's All Cane Handle—

Size 4, 5, 6	
6/6, 7/6, 8/-	
Nicoll's No. 6, with Rubber Grip	13/- each
Boys' Rounder Bats	-/3½
Polished Stumps	-/10, 1/2, 1/5, 1/9, 2/-, 2/3 set

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

THE GAME OF CRICKET.

Everything for little Cricketers and grown-up Batsmen.

OUR BOYS' CRICKET SETS. &

Book of Rules given with each set.



- No. 0 - 2 Bats, set Stumps, Compo. Ball ... 3/6 set
 No. 1 - 2 Polished Bats, set Polished Stumps, Compo. Ball ... 4/11 set
 No. 2 - 2 Polished Bats, set Polished Stumps, Compo. Ball ... 5/11 set
 No. 3 - 2 Polished Bats, set Polished Stumps, superior Compo. Ball, match size ... 7/6 set
 No. 4 - 2 Polished Bats, set Polished Stumps, superior Compo. Ball ... 9/ set
 No. 5 - 2 Polished Bats, set Polished Stumps, Compo. Match Ball ... 10/6 set
 No. 6 - 2 All Cane Handle Bats, set Polished Stumps, Eclipse Compo. Match Ball ... 14/- set
 No. 7 - 2 All Cane Handle Bats, set Polished Stumps, Eclipse Compo. Match Ball ... 16/- set
 No. 8 - 2 All Cane Handle Bats, set superior Polished Stumps, Eclipse Compo. Match Ball ... 19/- set
 No. 9 - 2 All Cane Handle Bats, set Brass-top Stumps, Eclipse Compo. Match Ball ... 22/6 set

Leg Guards

- Tan Leather (No. 475) ... 7/6, 8/6 pair
 Tan Cape, Skeleton, extra finish (No. 476) ... 12/6, 13/6 "
 " extra strong ... 9/6 "
 " ventilated ... 10/6 "
 White Kid Skeleton ... 13/6 "

Abdominal Guards ... 5/6 each

Cricket Bags (No. 474) -

- Canvas Bags, Leather ends ... 15/-
 Leather Bags ... 30/-

CRICKET SETS. - Full Size.

- No. 1 - 1 Set Brass-bound Stumps, 1 Duke's Match Ball, 1 all Cane and Rubber Handle Bat, 1 pair Tan Leather Leg Guards, 1 pair Tan Leather Gauntlets - 42/- set
 No. 2 - 1 Set Brass bound Stumps, 1 Duke's Match Ball, 2 Shaw and Shrewsbury's Cane Handle Bats, 1 pair Tan Leg Guards, 1 pair Tan Leather Gauntlets - 52/- set
 No. 3 - 1 Set Solid Brass top Stumps, 1 Duke's Match Ball, 2 Shaw and Shrewsbury's Bats, 2 pairs Tan Leg Guards, 1 pair Tan Wicket-keeping Gloves - 68/- set
 No. 4 - 1 Set Revolving Brass-top Stumps, 1 Duke's Ball, 2 Shaw & Shrewsbury's Double Spliced Bats, 2 pairs Tan Leg Guards, 1 pair Wicket keeping Gauntlets, 1 pair Batting Gloves ... 90/- set
 No. 5 - 1 Set Revolving top Stumps, 1 Duke's Ball, 2 Ayres' International Bats, 2 pairs Tan Cape Leg Guards, 1 pair Rubber-faced Gauntlets, 2 pairs Batting Gloves, Carpet Bag with lock ... 110/- set



No. 474



No. 475



No. 474

FOOTBALL AND TENNIS REQUISITES.

Including the goods of famous makers of appliances for these popular games



No. 477s.

Syken's Swift, Association, Tophine Chrome Leather (No. 447x) ... 15/6

No. 5 Association Match, English made— 6/-, 8/6, 9/6, 11/6, 14/6

Ford's Interstate Association ... 15/-

Boys' No. 4 Association Footballs, English made, for School and College use ... 9/6, 11/6 each

Superior Footballs, Solid Leather—Nos. 1 2 3 4 5 Match 11.

For boys or youths, Rugby ... 2/6 2/11 3/6 4/3 5/- 6/9, 6/9

Basil ... 1/9 — — — — 5 Match

Association, English make ... 2/9 3/6 4/3 5/- 7/-

Extra Bladders, English Make—Nos. 1 2 3 4 5 or Match 11. Octrotopal

For Rugby or Association ... 1/- 1/2 1/4 1/9 2/3

When ordering Footballs, kindly say whether Rugby or Association is required.

English Football Association Goal Nets, Steam Tarred Twine, with 2 Posts ... 6/6 set



No. 478.

Gilbert's Footballs, Rugby Match 11. (No. 479) ... 12/6

Sherrin's Match II ... 13/6

No. 5 Rugby Match II ... 6/-, 6/9, 7/9, 8/9, 10/-

Ford's Interstate Rugby, Match II ... 13/6



No. 476.

Ear Guards (No. 478) ... 4/9

Other Styles ... 2/-, 2/9

Football Inflators (No. 480) ... 1/-, 1/6, 2/-

Shin Guards ... 1/6, 2/3, 2/9, 3/3 pair

Elastic Knee Guards ... 6/9

Shin and Ankle Guards ... 2/-, 3/-, 3/6

Umpires' Whistles ... 4/8, 5/9, 1/-

Tennis Court Markers—

Slazenger's Dredger ... 33/6


" The Cavendish (No. 482) ... 19/6

The Eagle, with Rubber Band ... 16/6

with Centre Wheel ... 20/-

Bawsey, Tubular Marker ... 14/6

Tennis Tape Court Lines, with staples 8/6, 13/6



No. 482



No. 480.


LAWN TENNIS.



No. 483—The Handicap



No. 485—The Doherty.



No. 486.

Patent Grip Racquet Press (No. 486) ... 2/-
for 2 Racquets ... 3/6
Iron Marking Pins ... 3/- set

These Pins may be left in the ground, thus clearly defining the divisions of the Court.

Ayres' Celebrated Lawn Tennis Racquets—

2X, a good School Racquet	7/-
No. 3, a reliable Racquet	8/9
The Sandown, best Racquet in the market at the price	9/6
The Handicap, a splendid Club Racquet, thoroughly well made (No. 483)	12/6
The A1, a beautiful Racquet, closely strung with good white gut	15/-
Cork Handle Racquet, strung with good white gut	17/6
The Champion, the victorious Tournament Racquet (No. 484)	20/-
The Payten, with double centre strings	24/6
Central Strung, the Ladies favorite	24/-
S.N.D.	40/-

Children's Racquets	2 6. 4/-
Full size Racquets	6/-

Slazenger's Reliable Lawn Tennis Racquets—

La Belle	8/6
The Player	10/6
The Court	12/6
The Renshaw	13/6
The Acme	15/-
The Demon	20/-
The Pastime	18/9
The Champion	22/-
The Whitehouse	25/-
The E.G.M. (No. 486)	30/-
The Doherty (No. 485), patent strung, vellum bound shoulders	35/-
Stadium	40/-

Famous Tate Racquet,— for which we hold the sole agency—
Ordinary String, 37/6; with Double Centre Strings, 42/-

Racquets Re-strung, with English Gut—
Ordinary ... 7/-, 9/-
Central Strung, or with double centre strings ... 8/-, 10/6



No. 487.



No. 484,—The Champion



No. 488—The E.G.M.

Racquet Presses—
Central Grip (No. 487) ... Pine, 1/8; Ash, 2/6
Racquet Gut ... 1/8, 2/8 bank
Racquet Oil ... 1/-

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

SPALDING'S ENGLISH-MADE TENNIS RACQUETS.



Spalding's Champion
Strung with double main strings
of transparent English Gut,
and special encased shoulders.
2/-
Specially made for
Anthony Hordern & Sons, Ltd.



Sections of a Throatpiece of special
design which is firmly mortised to the
frame, thus entirely preventing the
wedge becoming detached, and causing
the irritating click to be heard whilst
playing.



This Throatpiece is fitted to all

SPALDING'S RACQUETS.



Spalding's Universal
Good quality Gut, finely
finished, 12/-
Specially made for
Anthony Hordern & Sons, Ltd.



Gold Medal.

The Lakeside	14/6
The Vantage	15/6
The Sarrey	18/-
The Tournament	21/-
The Service	25/6
The C.S.	28/6
The Gold Medal...	35/-
The Hacket Alexander	42/-
The Universal	10/6
The Champion	21/-



Service

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

GOLF—THE NATIONAL GAME OF BONNIE SCOTLAND.



All the King Jammies used to play Golf, and many of the Stuart Charlies, when they had nothing better to do. The game is now largely played in England, and in Australia it is in very great favor. Following is a list of everything requisite.



The Golf Ball Home Press -
 For remoulding ... 12/6 each
Golf Tees ... -/3 ..
Golf Bags, Canvas ... 5/6, 8/6, 10/6
 " **Solid Leather**, 18/6, 22/6, 25/6
Golf Ball Enamel ... -/6 per tin
Golf Scoring Books and Rules Com-
bined, in Morocco binding 1/9 each
 Re-fills for same ... -/3 ..
Golf Ball Cleaners ... 1/- ..

GOLF REQUISITES.

GOLF CLUBS.

We offer a complete assortment of Golf Clubs, including the renowned Simpson (Carnoustie) Hand-made Clubs. In every Golfing community—and that is equivalent to saying throughout the world—the name Simpson, of Carnoustie, is known. In fact, the famous Tayside resort is seldom spoken of in Golfing circles without mention of the world-famed Club Maker.

	Drivers	Brassies	Clubs	Lofters	Mashies and Drv. Mashies	Putters	Mid. Irons	Niblicks
Simpson's	6/9	7/6	7/-	7/-	7/-	7/-	7/-	—
B.G.I.	6/9	—	6/9	6/9	—	—	—	—
Cann & Taylor's	6/6	—	6/6	—	6/6	—	6/6	—
Spalding's	7/3	7/3	7/3	7/3	7/3	7/3	7/3	7/3
Morristown	5/-	5/-	5/-	5/-	5/-	5/-	5/-	—
Forgan's	—	—	7/-	6/-, 7/-	7/-	7/-	—	—
" Special Celtic...	7/6	7/6	7/6	7/6	7/6	—	7/6	—
" Drendnought	8/-	—	—	—	—	—	—	—
Gibson's Special	8/-	8/-	6/6	6/6	6/6	—	6/6	7/-
Drendnoughts	8/6	8/-	—	—	—	—	—	—
Braid's	—	—	6/6	6/6	6/6	8/6	6/6	6/6

Simpson's Baffy Spoons ... 8/9 each

GOLF BALLS.

White Colonel	3/- each; 35/- doz.	Dunlop Junior	2/6 each; 28/- doz.
Patent Colonel	2/9 " 33/- "	" Orange Spot	2/6 " 29/- "
Challenger	2/6 " 29/- "	Spalding's Glory Dimple	4/- " 47/- "
Corporal	1/6 " 16/8 "	" Bobs	1/7 " 17/8 "
New Hawk	1/9 " 19/6 "	" Black and White Dimple	3/- " 35/- "
Gutta Re-make Balls	-/9 " 8/4 "	" " " No. 1	2/6 " 28/- "

ANTHONY HORDERN & SONS, LTD. ONLY UNIVERSAL PROVIDERS EXERCISES AND GAMES.



Cane Fencing Mask, 15/6 pair



Wire Fencing Mask, 9/6 pair




Single Sticks, with Willow Hilt ... 1/6 pair
Steel Foils, ... 6/-, 8/6, 11/6, 13/6, 15/6 ..



Gymnastics.—Orders for Horizontal Bars, Parallel Bars, and Vaulting Horses generally take from a week to ten days to execute.

Horizontal Bar, ash, adjustable, with iron uprights, stays and hooks, complete ...	23/7 6
Horizontal Bar, with iron core through bar...	24/2 6
Bar only, plain ash, fitted with square iron ends, 10/6	
" " " iron ends and core, 24/6	
Trapeze Bar, with core ...	8/6, 13/- each
" Ropes, adjustable, with clips ...	6/9 pair
Iron Hand Rings ...	3/6 "
Leather Covered Hand Rings ...	6/9 "
Medicine Balls...	6lb. 32/6
Outdoor Swing, Ropes, Seat and Hooks ...	9 6
" " Wire Ropes ...	15/-



Hockey Goal Nets, Steam Tarred, ' Regulation size, complete with Posts, &c., 56/- pair

Hockey Balls ...	1/-, 2/3, 4/6 each
Syker' Hockey Sticks, ash ...	3/6, 4/6, 5/6 "
" " cane handle and bound ...	4/-, 4/6, 5/6, 6/6 "
Hockey Sticks, cork handle ...	8/- "
" (Match) cane handle and bound—	6/6, 8/6, 10/-, 11/6, 12/6 "




Parallel Bars, hardwood frame, fixed ash bars, iron brackets and stays, length, 8ft. 9in. eight, 4ft. 3in ; width between, 1ft. 3in. ... 82/6

CROQUET SETS.

In strong Wood Boxes.

Club Sets for Four Players.



Ayles	Wimbledon Bet, for 4 players, containing 4 Match Boxwood Mallets, 4 full size Boxwood Balls, and all requisites	65/-
	Junior Set, for 8 players	28/-, 32/6

Junior Set, for 8 players	111	102	93	84	75	66	57	48	39	30	21	25/-, 32/6
---------------------------	-----	-----	----	----	----	----	----	----	----	----	----	------------

By Jacques.

The Vulcan Set, containing 4 Brass-bound Mallets, 9in. x 3in., corded handles, 4 first quality Balls, 3½in., and all requisites for the game... 97/6

The All England Set, containing 4 Boxwood Mallets, 9in. x 3in., full size first quality Boxwood Balls, and all requisites ... 68/-

Club Sets for Four Players, by Slazanger.

The Thors, containing 4 Boxwood Mallets, 9in. x 3in., 4 Match 3½in. Boxwood Balls, and all requisites . . . 66/

Thorn Ash Set, containing 4 Ash Mallets, 8in. x 3in., 4 Beech Balls, and all requisites	40/-
---	------

The Dalmany Set, containing 4 Ash Mallets, 4 Beech Balls, and all requisites	25/-
--	-----	-----	-----	-----	-----	------

Jacques' Club Sets for Eight Players

The Bonolan Set, containing 8 Ash Mallets, 8 Beech Balls, and all requisites	37/6
--	------

Sets, for juniors, for 8 players	15/6, 22/6
----------------------------------	-----	----	----	-----	-----	----	----	-----	------------

[illegible]

The Dalmeny Set, for 8 players, containing 8 Ash Mallets, 54in. x 24in., 8 Beech Balls, and all requisites ... 32/6

Fykes' Court Set, containing 4 Boxwood Mallets, 9in. x 3in., 4 Match 3½in. Boxwood Balls, with all requisites 56/-

CROQUET BALLS. &c.

[Match Balls, Excelste Composition, set of 4	...	25/6
'Jacques' 1st quality, Boxwood, set of 4	...	15/6
.. 2nd	13/6
Slasenger, 1st	13/6
Beech Croquet ..	each 1/-, 1/3	

'Jacques' 1st quality, Boxwood, set of 4	15/6
--	-----	-----	------

[illegible]

Slazenger, 1st " " " " " " each 1/- 1/3

Beech Croquet 207 269 282 227 200 217 234 251 268 285 298 315 332 349 366 383 399 416 433 450 467 484 501 518 535 552 569 586 603 620 637 654 671 688 705 722 739 756 773 790 807 824 841 858 875 892 909 926 943 960 977 994 1011 1028 1045 1062 1079 1096 1113 1130 1147 1164 1181 1198 1215 1232 1249 1266 1283 1300 1317 1334 1351 1368 1385 1402 1419 1436 1453 1470 1487 1504 1521 1538 1555 1572 1589 1606 1623 1640 1657 1674 1691 1708 1725 1742 1759 1776 1793 1810 1827 1844 1861 1878 1895 1912 1929 1946 1963 1980 1997 2014 2031 2048 2065 2082 2099 2116 2133 2150 2167 2184 2201 2218 2235 2252 2269 2286 2303 2320 2337 2354 2371 2388 2405 2422 2439 2456 2473 2490 2507 2524 2541 2558 2575 2592 2609 2626 2643 2660 2677 2694 2711 2728 2745 2762 2779 2796 2813 2830 2847 2864 2881 2898 2915 2932 2949 2966 2983 3000 3017 3034 3051 3068 3085 3102 3119 3136 3153 3170 3187 3204 3221 3238 3255 3272 3289 3306 3323 3340 3357 3374 3391 3408 3425 3442 3459 3476 3493 3510 3527 3544 3561 3578 3595 3612 3629 3646 3663 3680 3697 3714 3731 3748 3765 3782 3799 3816 3833 3850 3867 3884 3901 3918 3935 3952 3969 3986 4003 4020 4037 4054 4071 4088 4105 4122 4139 4156 4173 4190 4207 4224 4241 4258 4275 4292 4309 4326 4343 4360 4377 4394 4411 4428 4445 4462 4479 4496 4513 4530 4547 4564 4581 4598 4615 4632 4649 4666 4683 4700 4717 4734 4751 4768 4785 4802 4819 4836 4853 4870 4887 4904 4921 4938 4955 4972 4989 5006 5023 5040 5057 5074 5091 5108 5125 5142 5159 5176 5193 5210 5227 5244 5261 5278 5295 5312 5329 5346 5363 5380 5397 5414 5431 5448 5465 5482 5499 5516 5533 5550 5567 5584 5601 5618 5635 5652 5669 5686 5703 5720 5737 5754 5771 5788 5805 5822 5839 5856 5873 5890 5907 5924 5941 5958 5975 5992 6009 6026 6043 6060 6077 6094 6111 6128 6145 6162 6179 6196 6213 6230 6247 6264 6281 6298 6315 6332 6349 6366 6383 6400 6417 6434 6451 6468 6485 6502 6519 6536 6553 6570 6587 6604 6621 6638 6655 6672 6689 6706 6723 6740 6757 6774 6791 6808 6825 6842 6859 6876 6893 6910 6927 6944 6961 6978 6995 7012 7029 7046 7063 7080 7097 7114 7131 7148 7165 7182 7199 7216 7233 7250 7267 7284 7301 7318 7335 7352 7369 7386 7403 7420 7437 7454 7471 7488 7505 7522 7539 7556 7573 7590 7607 7624 7641 7658 7675 7692 7709 7726 7743 7760 7777 7794 7811 7828 7845 7862 7879 7896 7913 7930 7947 7964 7981 7998 8015 8032 8049 8066 8083 8100 8117 8134 8151 8168 8185 8202 8219 8236 8253 8270 8287 8304 8321 8338 8355 8372 8389 8406 8423 8440 8457 8474 8491 8508 8525 8542 8559 8576 8593 8610 8627 8644 8661 8678 8695 8712 8729 8746 8763 8780 8797 8814 8831 8848 8865 8882 8899 8916 8933 8950 8967 8984 9001 9018 9035 9052 9069 9086 9103 9120 9137 9154 9171 9188 9205 9222 9239 9256 9273 9290 9307 9324 9341 9358 9375 9392 9409 9426 9443 9460 9477 9494 9511 9528 9545 9562 9579 9596 9613 9630 9647 9664 9681 9698 9715 9732 9749 9766 9783 9800 9817 9834 9851 9868 9885 9902 9919 9936 9953 9970 9987 10004 10021 10038 10055 10072 10089 10106 10123 10140 10157 10174 10191 10208 10225 10242 10259 10276 10293 10310 10327 10344 10361 10378 10395 10412 10429 10446 10463 10480 10497 10514 10531 10548 10565 10582 10599 10616 10633 10650 10667 10684 10701 10718 10735 10752 10769 10786 10803 10820 10837 10854 10871 10888 10905 10922 10939 10956 10973 10990 11007 11024 11041 11058 11075 11092 11109 11126 11143 11160 11177 11194 11211 11228 11245 11262 11279 11296 11313 11330 11347 11364 11381 11398 11415 11432 11449 11466 11483 11500 11517 11534 11551 11568 11585 11602 11619 11636 11653 11670 11687 11704 11721 11738 11755 11772 11789 11806 11823 11840 11857 11874 11891 11908 11925 11942 11959 11976 11993 12010 12027 12044 12061 12078 12095 12112 12129 12146 12163 12180 12197 12214 12231 12248 12265 12282 12299 12316 12333 12350 12367 12384 12401 12418 12435 12452 12469 12486 12503 12520 12537 12554 12571 12588 12605 12622 12639 12656 12673 12690 12707 12724 12741 12758 12775 12792 12809 12826 12843 12860 12877 12894 12911 12928 12945 12962 12979 12996 13013 13030 13047 13064 13081 13098 13115 13132 13149 13166 13183 13200 13217 13234 13251 13268 13285 13302 13319 13336 13353 13370 13387 13404 13421 13438 13455 13472 13489 1

Hoops set of 6 3/6, 5/6 set; with sockets, 14/-

Croquet Stand	201	202	203	204	205	10/6
---------------	-----	-----	-----	-----	-----	------

Clips, Composition	set 2,3, 3/6, 4/6
---------------------------	-------------------

12	Stands, for Balls	each 5/-
----	-------------------	-----	-----	-----	----------

Jacques' Boxwood Croquet Mallets, 9.in. x 3in. . . . 4 =

The Vulcan, 9in. x 3in., Brass bound ...	15 6
--	------

The Peel, 8in. 3in., flat bottom	15/-
----------------------------------	-----	-----	------

The Association. 9in. x 3in., Boxwood bound

Handles	12	100	100	171
---------	----	-----	-----	-----

Ayres' Boxwood Croquet Mallets, 9 in. x 3 in.	8.6
---	-----

Blazenger Match Croquet Mallets -

Cane Handle, Brass-bound, 9in. x 3in ...	21/-
Cane Handle, Mahogany-bound, 9in. x 3in ...	21/-

Corbally, Aluminium-bound ends	...	217
Revised, 2in. x 3in.	...	9/

Croquet Mallets—Cork Handle	15/6, 18/6
-----------------------------	-----	-----	------------

Boxwood	5/8, 6/8
---------	----------

$\frac{1}{6}, \frac{2}{6}, \frac{3}{6}$


ANTHONY HORDERN & SONS, LTD. ONLY UNIVERSAL PROVIDERS

OLD ENGLISH GAMES.

Bowls—As popular now as in the days of Elizabeth.

Quoits—The Discobolia of the Ancient Greeks.

BOWLS.



Taylor's Extra Quality, Ivory mounted, No. 3 Bias.	
5 $\frac{1}{2}$ in., 5 $\frac{1}{2}$ in., 5 $\frac{1}{2}$ in. diameter	30/- pair
Taylor's Extra Quality, Silver mounted	33/- "
" " " Prize, Silver mounted	35/- "
Jacks	7 $\frac{1}{2}$ each
Bowling Green Scoring Boards, with Lines and Iro.	13/- each
Stakes	2/3 "
Painted and Numbered Discs	2/3 "
Coin Mats	2/6, 5/- "

The Famous Excelsite Composition Bowl, as now used by the leading players 5 $\frac{1}{2}$, 3lbs 4ozs., 7 $\frac{1}{2}$ lbs. 6ozs., No. 3 Full Bias. Stamped and registered by A.B.A. 45/- pair

Bowls all Stamped and Registered by the Australian Bowling Association.

QUOITS.



No. 490.



No. 491

Winn, Timmins & Co.'s Best Steel (No. 490)—

Each pair	4	5	6	7	8 lbs.
	5/-	6/6	7/6	8/-	9/3 pair

Rope Quoits—

Set of Six Quoits and Board (No. 491)—

No. 1, 3/9; No. 2, 4/9

LACROSSE.



Lacrosse Bats, Hickory Sticks, Lally's	
No. 1	10/- each
Lacrosse Bats, Hickory Sticks, Lally's	
XXX	12/6 each
Lacrosse Bats, Hickory Sticks, Lally's	
Extra Spec. A.	17/6 each
Youth's Lacrosse Sticks	3/6, 7/6 "
Lacrosse Balls	2/9 "

SKATES.



Winslow Skates, Steel Wheels	18/- pair
Winslow Skates, Ball bearing, Extension Plates, Fibre	
Wheels, Gent's Full Clamp or Strap Back, Ladies	
Half Clamp and Leather Back	18/-, 19/- pair

Winslow Plain-bearing Skates, Hardwood Wheels,	
Extension Plates	6/6 pair
Richardson Solid Plate Skates, Sizes for 5, 6, 7, 8	
Boots, Aluminium Wheels, Solid Bushed	27/- pair
Phillips' Racing Skates, Paved Plates, no Clamps, to	
Screw to Boot, with Fibre or Aluminium Wheels—	
	18/6 pair
Brampton Extension Skates. Gent's Half Clamp;	
Lady's Full Clamp—	
Steel Wheels	15/- pair
Fibre Wheels	18/6 "
Aluminium Wheels	18/8 "
Union Skates, Ball-bearing, Extension Plates suit Fall	
sizes Fibre Wheels, Gent's Full Clamp, Ladies' Half	
Clamp and Leather Back	12/6 pair

Prices for quantities on application.

ALL PRICES IN THIS CATALOGUE ARE SUBJECT TO MARKET FLUCTUATIONS.

BOXING GLOVES AND PUNCHING BALLS.



No. 492

Bryan's Champion Boxing Gloves—

- No. 11, Gold Cape (No. 492) 20/- set
- No. 13, Gold Cape, specially selected, 8oz. 20/- "
- No. 111x, Tan Cape 16/- "

Youths' Boxing Gloves 6/9 "

Men's Tan Gloves 8/6, 10/6, 12/8 "

Spalding's Boxing Gloves.—The Spalding Championship Gloves are endorsed and used by the majority of the best boxers in the world. They are suitable both for practice and contest, the material and workmanship being of the highest possible quality. We guarantee perfect fit, the gloves being so constructed that injury to the hands or wrists is almost impossible.

Spalding's Championship—

- No. 116, Glove, 8oz., Corbett Pattern, Padded Wrist 32/8 set
- No. 118, Glove, 8oz., Corbett Pattern, Padded Wrist 32/8 set

Spalding's International Boxing Gloves, as designed and used by Tommy Burns. 6 or 8oz. ... 23/6 set

Spalding's Corbett Pattern, No. 15. Olive Tanned Leather, well Padded with Hair, Padded Wristband, Patent Palm Lacing, Patent Palm Grip ... 17/6 set

Spalding's Regular Pattern, No. 19. Craven Tan Leather, well Padded with Hair, Patent Palm Grip and Patent Palm Lacing 16/8 set

Spalding's Regular Pattern, No. 21. Palm of Drab Leather, balance of Glove finished in Dark Wine Color Leather, well Padded with Hair, and Patent Palm Lacing 13/6 set

Spalding's Regular Pattern, No. 23. Fine quality Brown Tanned Leather, with Palm of Drab Leather. A very well-made Glove, Hair Padded and Patent Palm Lacing 11/8 set



Spalding's Punching Ball, Pear Shape.

Spalding's Punching Balls

Single-end pear-shape bags. Laces on side at top to enable the bladder to be inflated without interfering with the rope. Each bag is carefully inspected and then packed complete in box with bladder, lace, and rope. The bladders are made of pure Para Rubber.

No. 19.—Made of highest quality Patna kid, the lightest and strongest of leather. Sewed with linen thread, double stitched, and red welted seams. Especially suitable for exhibition work, and a very fast bag 32/6 each

No. 18.—The Fitzsimmons Special. Made of finest selected olive Napa tanned leather, extra well made, double stitched and welted seams, and reinforced throughout. For training purposes, particularly, this bag will be found satisfactory in every respect 25/- each

No. 12.—Made of olive tanned leather, specially selected, double stitched, and red welted seams, and reinforced throughout. Excellent for quick work, 19/8 each

No. 10.—Made of specially tanned brown glove leather, double stitched, red welted seams, and reinforced throughout. A good all-round bag .. 17/8 each

No. 17.—Made of fine craven tanned leather, well finished, double stitched, red welted seams, and reinforced throughout 16/8 each

No. 16.—Made of extra fine grain leather, full size, and lined throughout 13/8 each

No. 15.—Made of olive tanned leather, full size, and lined throughout, red welted seams ... 11/8 each

No. 14.—Made of good quality drab leather, lined throughout... .. 8/6 each

ANTHONY HORDERN & SONS, LTD. ONLY UNIVERSAL PROVIDERS

MUSCLE MAKING AND HEALTH CREATING EXERCISES.

Start the little ones with light-weight Clubs, and they will grow in strength as they grow in inches.



No. 494.



No. 495.

Punching Balls—

- Portable, on stand, with spring (No. 494) ... 45/-
Army, with leather straps (No. 495) ... 20/-, 22/-



No. 1.

Punching Ball Platforms—

- With 4 adjustable iron uprights and steel wire guy ropes (No. 1) ... 72/-
Balls and Swivels extra as per list.



No. 496



No. 497

Punching Balls—

- The Grasshopper, complete, with cord and rubber fittings (No. 496) ... 20/-, 23/-, 25/-
With Rubber cords both ends ... 18/6, 18/6, 20

- Punching Ball Mitts ... pair 3/-
" Gloves ... 3/9

- Swivel for suspending Punching Ball (No. 497), each, 1/6
Stage Swivel ... 4/6

- Punching Ball Bladders
Double Seamed ... 3/6 4/- 4/6



No. 2.

- Circular Punching Ball Platforms, to attach to wall —
complete with swivel ... 32/6
Balls extra, as per list.


ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

IT USED TO BE "SAMSON," NOW IT'S "SANDOW."

All the best Developers and Exercisers.

SANDOW'S AND OTHER EXERCISERS.

With Charts showing their various uses



Sandow's Developers	15/-
" Grip Dumbbells, nickel, 7 springs					14/6 pair
" " " " black 5					10/- "
" " " " Youths' or Ladies' Dumbbells, nickel					12/6 "
Whitely Exerciser	4/8, 5/6, 8/6



No. 498.	
McFadden's Massage Exerciser (No. 498) ...	5/-, 7/-
Wooden Bar Bells " " " " " "	1/6, 2/- each
Calisthenic Poles, 4ft. 6in. " " " " " "	4/3 doz.
Calisthenic Rings, Ash " " " " " "	4/3 doz.
Canes, 6ft " " " " " "	-/2 each
Canes Crooks " " " " " "	4/-, 6/-

POLO.

Game for Biped and Quadrupeds.

Buchanan's Polo Sticks	9/	each
English	"	4/6,	6/8 each
Polo Balls	1/-,	1/3 "
Water Polo Ball	12/6	"

ARCHERY BOWS AND ARROWS.

5ft. English Bow	6/9 each
5ft. 6in. English Bow	8/6, 10/6
8ft.	12/6, 15/-
Arrows, Metal Tipped	-/8, 1/-

AMERICAN BASEBALL GAME.

Spalding Gold Medal Clubs		5/- each
10	Mushroom	5/-
10	Ordinary	3/-
10	League Balls	7/6
10	Professional Balls	2/6
10	King of Diamond Balls	2/-
10	Body Protectors	16/-
10	Masks	12/6, 17/6
10	Fielder's Mitts	3/-, 4/-, 7/-, 15/-	17/-
10	Catcher's Mitts	7/6, 16/-, 32/6
Hand Balls		1/8

BASKET BALL GAME.

Iron Rings to attach to Posts, complete with Nets—					10/6 pair
Spalding's Basket Balls...		...	8/6, 15/-, 19/6 each		
12	11	12	Rules...	...	1/6

Indian Clubs, Champagne shaped, Pine—

$\frac{9}{8}$	$\frac{7}{10}$	$\frac{1}{1}$	$\frac{1\frac{1}{2}}{5}$	$\frac{2}{10}$	$\frac{3}{9}$	$\frac{4 \text{ lbs.}}{6} \text{ pair}$
$\frac{-7}{6}$	$\frac{-10}{3}$	$\frac{1-}{2}$	$\frac{15}{10}$	$\frac{20}{6}$	$\frac{30}{9}$	$\frac{38}{9} \text{ doz. pair}$

Champagne shaped, Polished—

$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{2}$ lbs
<hr/>	<hr/>	<hr/>	
-99	1/-	$1\frac{1}{2}$	$1\frac{1}{8}$ pair
$8\frac{1}{4}$	$11\frac{1}{2}$	$13\frac{1}{2}$	$18\frac{1}{6}$ doz. pair

Other weights to order. Price on application

Dumbbells—

bells--		$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	1 lb.
Wood, plain ...	$\frac{1}{8}$ 5/7	$\frac{1}{4}$ 7/-	$\frac{3}{8}$ 8/4	$\frac{1}{2}$ 10/3	pair doz. pair
" polished	—	$\frac{1}{8}$ 7/8	$\frac{1}{2}$ 10/3	$\frac{1}{2}$ 12/1	pair doz. pair
	1	2	3	4	5 lb.
Iron ...	$\frac{1}{8}$ 5/7	$\frac{1}{4}$ 11/-	$\frac{3}{8}$ 16/8	$\frac{1}{2}$ 22/-	$\frac{1}{2}$ 28/-
					pair doz. pair

Terry's Wire Developers -

No. 3, Men	...	7/6		No. 4, Athletes	...	10/-
------------	-----	-----	--	-----------------	-----	------

Terry's Chest Expanders

No. 1, Girls	... 2/9	No. 4, Athletes	... 5/-
No. 3, Men	... 3/3		

Gymnastic Mattresses, Fibre stuffed—


8ft. x 4ft. 6in. x 6in.	Prices on application.
6ft. x 6ft. x 6in.	
6ft. 6in. x 8ft. x 6in.	
8ft. x 8ft. x 6in.	

Wrestling Mats

CUSTOMERS ORDERING BY POST are treated in the same way as customers buying at the counter. The same prices are charged, and selections are made by specially trained assistants from the same stocks. Every thing sent to the country is carefully packed by experienced men.

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

BILLIARDS.



BILLIARD TABLES.

Fumed Queensland Maple, with Tasmanian Blackwood case, and four 5in. Blackwood legs, but without the leaves shown in the illustration. Slate bed covered with Billiard Cloth India-rubber Cushions. Brass-mounted Pockets, complete with three Ivory Balls, two Cues, Marking Board, Chalk, Rules, &c.—

Size over all, 6ft. 4in. x 3ft. 4in.	£12/10/-
" 7ft. 4in. x 3ft. 10in.	£17/1/-
" 8ft. 4in. x 4ft. 4in., with six 5in. legs	£23/10/-
" 9ft. 5in. x 5ft., with six 6in. legs	£29/10/-

Billiard Tables, complete as described, fitted with leaves, as shown in the illustration, making combined Billiard and Dining Table—

Size, 6ft. 4in. x 3ft. 4in.	£15/1/-
" 7ft. 4in. x 3ft. 10in.	£20/1/-
" 8ft. 4in. x 4ft. 4in., with six 5in. legs	£27/10/-
" 9ft. 5in. x 5ft.	£35/1/-

Combined Billiard and Dining Tables, fitted with automatic lift—

Size, 7ft. 4in. x 3ft. 10in.	£34/1/-
" 8ft. 4in. x 4ft. 4in., with 4 legs	£39/1/-

MINIATURE BILLIARD TABLE TOPS.—On six adjusting legs, to stand on an ordinary dining table.

These Billiard Table Tops have Slate bed, covered with Billiard Cloth, India rubber Cushions, Brass mounted Pockets, and are complete with three Ivory Balls, two Cues, Marking Board, Chalk, Rules, &c.

Fumed Queensland Maple Frame—

Size over all, 6ft. 4in. x 3ft. 4in.	£9/10/-
" 7ft. 4in. x 3ft. 10in.	£13/10/-
" 8ft. 4in. x 4ft. 4in.	£19/10/-
" 9ft. 5in. x 5ft.	£24/10/-



Table Billiards, for fastening on any ordinary table, including 6 Tapes, acting as cushions, 6 Pockets, 3 Balls, Chalk, Tips, and Marker on lid

With Boxwood Balls	16/6, 24/-
No. 2, with Compo. Balls, 32/6, 48/-, 63/-	

SPACES REQUIRED FOR BILLIARD TABLES.

Billiard Table.	Room.	Cue.	Billiard Table.	Room.	Cue.
9ft. 5in. x 5ft. 0in.	18ft. 6in. x 14ft. 3in.	4ft. 9in.	7ft. 4in. x 3ft. 10in.	15ft. 6in. x 12ft. 4in.	4ft. 6in.
8ft. 4in. x 4ft. 4in.	17ft. 0in. x 13ft. 4in.	4ft. 6in.	6ft. 4in. x 3ft. 4in.	14ft. 6in. x 11ft. 10 in.	4ft. 0in.

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

BILLIARD ACCESSORIES.

Showing every necessary, and the cheapest way to get them.



Billiard Cues—									
4ft. Ash Cues	1/2	4ft. 2 point	2/9
4ft. 6in. Ash Cues	1/4	4 point fancy butted	4/3
Ash, full size	1/6	4 point Ebony butted	5/9
4ft. 6in. 2 point	3/-	4 " hand made	9/6
Full size 2 point fancy butted	3/3	Peall Record	12/6
Cue Cases		8/-
Cue Stands, for 3 Cues		28/6
" 15 "	37/6
Billiard Balls—									
Ivory, 1 1/2 in.	15/6 set of 3	Bonzoline 1 1/2 in., 17/6	21/-
" 1 1/4 in.	17/6	Compo., full size	20/- set of 3
Compo. ... 1 1/2 in., 8/-	1 1/2 in., 11/-	Bonzoline "	36/-
Compo. Pyramid Balls, set of 16, size, 1 1/2 in.	47/6
Bonzoline Snooker Pool Balls, size, 2 1/4 in.		£13/- set of 22
Compo	1 1/2 in.	52/6
"	1 1/4 in.	67/6
"	2 in.	80/-



Tivoli or German Billiards ... 1/11, 2/9, 3/9, 5/9, 7/-

Pockets	2/9, 4/9, 6/6, 7/6 set
Patent Pocket, with Brass Rings	10 6 "
Brushes7/8, 8/6, 10/6 each
Pool Marble Baskets	3/-
Leather Pool Marble Baskets	4/-
Pool Marbles	3/- set
Pool Pins	3/6
Mugs Pool Pins	2/3
Chalk, White	-3 doz
" St. Martin's Blue	1/6
" Spink's Green	2/3
" Cups, Brass	1 9 each

Chalk Clips	7/6, -9
Silk Spots	-1/6 box
" Mending Plaster	2/- yd.



No. 488.

No. 489.

Cue Rest Head, Brass (No. 488)	2/-, 3/-
" Nickel	3/6
Spider Rest (No. 489)	3/6
Rest Sticks	1 6 each



Billiard Table Iron and Shoes	7/6
Straight Edge and Half Circle	9/-
Billiard Table Brasses	6ft.	5/- set of 6
	7ft.	5 6 "
	8ft.	6 8 "
Cue Tips	1 9, 2 box
Cue Tip Wafers	1/6
" Fasteners	2/9
Cue Clips	-1/4
Ceiling Chalk Suspender	2/6




Billiard Scoring Board	8/6, 13/6, 18/6, 22/6
" (Roller)	£4 10/-

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

GAMES OF SKILL.

What's your little game? Whatever it is you'll find it in this section.



No. 182

CHESSMEN—Per Set.



No. 183

Ebony and Boxwood, ordinary shape—

No.	0	1	2	3	4	5	6
	2/-	2/9	3/9	4/9	5/9	7/-	8/-

Ebony and Boxwood, Staunton, No. 4, 11/8; No. 5, 13/6

" " Staunton loaded—

" " No. 4, 15/8; No. 5, 20/-

" " Presentation Staunton Set, beautifully finished ... 28/-

" " Club Set, full size, Staunton loaded ... 32/6

Bone Chessmen ... 8/6, 11/6, 15/-

Portable Chess, for travellers ... 8/-, 11/6

Chess and Backgammon Boards combined -

Sets Draughtsmen—

-/4, -/6, -/8, -/9, 1/3, 1/8, 2/11, 3/3, 5/9

BAGATELLE BOARDS.

Complete, with Bridge, 9 Balls, 2 Cues, and Rules.

5ft. ...	£2/10/-
6ft. ...	£2/10/-
7ft. ...	£5/-
8ft. ...	£8/5/-

BAGATELLE BALLS.

Set 9, 4 Red, 4 White, 1 Black—	1 1/2 in.	1 1/2 in.	1 1/2 in.
	7/6	11/8	16/- set

Bagatelle Cues, Ash, 4ft. ...	1/2
Ladies' Mace ...	3/-
Rules ...	1/8

CHESS AND DRAUGHT BOARDS



Strong Card ...	-/6, -/9
Cloth ...	1/-, 1/6
Leather ...	2/9, 3/6, 5/6, 7/8

Planchette ...	1/-, 1/3, 2/9
Magnetic Fish Pond ...	1/3, 1/9, 2/9
Bisley Shooting Game, with I. R. Dart Pistols ...	6/8
Flags of the World ...	-/7 1/2, 1/-
Magnetic Swans ...	1/3, 2/9
Quilt ...	1/11
Corner ...	-/8
Diabolo ...	1/-, 1/6, 2/6, 3/-, 3/6, 4/-, 5/-

Card Counters—

Bone ...	-/6, 1/-, 1/6, 2/8
Cowrie Shell ...	-/8, 7 1/2

Special Compendiums containing Materials and Rules for a very varied assortment of Games—

The Orient, No. 1, 22 Games ...	3/-
" " 2, 24 " ...	3/6
" " 3, 55 " ...	5/-
" " 4, 56 " ...	6/6
" " 5, 59 " ...	12/6
The Chamberlain. 50 " ...	6/6
The Olympia 55 " ...	10/6

ANTHONY HORDERN & SONS, LTD. ONLY UNIVERSAL PROVIDERS

VARIOUS POPULAR GAMES.

Bobs, the New Table Game, with
Folding sides, to fit on any table

(No. 185) — 6/6

With Cue and Marbles — 6/6, 8/6, 11/6

With Cue and Wooden Balls — 13/6

With Lignum Vitae Balls — 13/6

Wood Balls for the Game

1 1/4 1 1/2 1 3/4 1 1/2 in.


1/4 — 1/5 1/8 set of 7

Compo. Balls — 8/6 9/6 12/6 18/- ..

Lignum Vitae — 3/6 — 4/6 5/3 ..

Bobs Tables, Top only, 6ft. x 8ft., with Rubber Cushions covered superior Cloth, to take 1 1/4 in. Balls ... 42/-
... -/6, -/8, 1/-, 1/4, 1/8, 2/6

Bobs Cues ...



No. 185.




No. 186

Bille, complete with 3 Balls, Tape, Pool Pins, Cue and Scoring
Card No. 186 8/6



Aunt Sally ... 2/-, 5/6, 6/6, 8/6



No. 187

The Game of Sandown (No. 187)

Wood disc, 3 in. diameter leatherette box, with

counters and cloth ... 5/6

Metal disc, 3 1/2 in., with counters and cloth ... 16/6

Metal disc, with glass top, in mahogany case, with

counters and cloth ... 36/6

Metal disc, 1 1/2 in., cloth case, with cards and

counters ... 62/-

Rules and Cards for playing Sandown included with every set.

Plt. No. 189
1/4, 2/6



No. 191



No. 192.

Dominoes—

Bone, 1/-, 1/3, 1/6, 1/9, 2/3, 2/9, 3/3, 4/-, 5/6, 6/6, 7/- set

Wood ... -/6, 1/-, 1/4 ..

Poker Dice

(No. 193) —

3/6, 4/6 set of 5

Ordinary Dice -

1/4 set of 3

Dice Cups

-/6, -/9 each

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

GAMES FOR TOWN AND COUNTRY.



No. 194.
Snakes and Ladders (No. 194) ... -/7, 1/-, 1/3, 2/6

PING PONG POSTS.

Polished Wood, with Iron Screw Clamp ...	3/- pair
Wood	2/3 "

PING PONG BALLS.

Xylonte Balls—Regulation	1/6 doz.
---------------------------------	----------

PING PONG NETS.

4ft. Green Nets	-/6
------------------------	-----

Ping Pong Sets	3/9, 5/-, 6/6
-----------------------	---------------

Wood Racquets	-/9
----------------------	-----

Sand Paper	1/-
-------------------	-----

COTTON FLAGS.

Union Jack—

25in. x 21in.	-/4 each, 3/9 doz.
30in. x 20in.	-/4 " 4/2 "
34in. x 30in.	-/8 " 5/7 "
40in. x 33in.	-/8 " 8/4 "
48in. x 33in.	1/3 " 13/11 "
60in. x 40in.	1/10 " 20/6 "
72in. x 50in.	2/6 " 28/- "

Red Ensign—

52in. x 28in.	1/3 each, 13/11 doz.
72in. x 40in.	2/6 " 28/- "

Standard—

26in. x 20in.	-/4 each, 3/9 doz.
33in. x 29in.	-/6 1/2 " 6/1 "
60in. x 40in.	2/6 " 28/- "

Irish—

27in. x 20in.	-/4 1/2 each, 4/2 doz.
35in. x 24in.	-/8 1/2 " 6/1 "

St. Andrew's Cross—

35in. x 24in.	-/6 1/2 each, 6/1 doz.
----------------------	------------------------

St. George's Cross—

35in. x 24in.	-/8 1/2 each, 6/1 doz.
----------------------	------------------------

Red Federal

60in. x 40in.	1/9 each, 19/6 doz.
----------------------	---------------------

American—

20in. x 16in.	-/3 each, 2/10 doz.
25in. x 21in.	-/4 " 3/9 "
30in. x 20in.	-/4 1/2 " 4/2 "
35in. x 24in.	-/6 " 5/7 "
40in. x 29in.	2/6 " 28/- "

Self Color Pennants, Assorted Colors, 12 on string—

1/-, 2/3 per string

Flag Sticks, 3ft. -/1 each, -/9 doz.

COTTON BUNTING FLAGS.

Union Jack—

37in. x 16in.	-/4 each, 3/9 doz.
43in. x 27in.	1/9 " 8/4 "

Red Ensign—

90in. x 52in.	2/9 each, 30/9 doz.
----------------------	---------------------

St. George's Cross—

43in. x 27in.	-/6 each, 5/7 doz.
60in. x 40in.	1/9 " 19/6 "

Blue Ensign


43in. x 27in.	-/7 each, 6/7 doz.
60in. x 36in.	1/9 " 19/6 "
90in. x 52in.	2/9 " 30/9 "

White Ensign

90in. x 60in.	3/3 each, 36/6 doz.
----------------------	---------------------

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

GREENER'S BREECH-LOADING GUNS.



W. W. Greener's "Dominion" D.B.B.L. Gun, 12-gauge, Top Lever, Bar Locks, 30in. Steel Barrels, Hammers below line of sight, Patent Treble Wedge-fast Crossbolt, Chambered for 2 1/2 cases, and proved for all nitro-powders £12/-



W. W. Greener's D.B.B.L. Hammerless Gun, 12-gauge. This gun possesses the chief features of the Greener Gun, viz., strong shooting, solidity of construction and simplicity of mechanism. The barrels are of special quality steel, 30in., Chambered for 2 1/2 cases, proved for all nitro powders, Greener's Patent Treble Wedge-fast Crossbolt, Patent Side Safe. The locks of this gun have fewer parts than any other hammerless gun made. Weight about 7 lbs., European Walnut Stock, Pistol Grip £13 10 -



W. W. Greener's D.B.B.L. Hammerless Gun, made on W. W. Greener's Facile Principle system of breech mechanism. Specially made for use in the Colonies. It should be noted that this mechanism is quicker in action than any other system, less time being occupied in striking the cap after the trigger has been pulled. This is an important advantage in pigeon shooting. Side Safe, 30in. Steel Barrels, both Choke. Engine-turned Rib, with Greener's Patent Treble Wedge Fast Cross Bolt, Chambered for 2 1/2 cases, proved for all nitro powders, Walnut-heart Stock, neatly engraved, a good pigeon gun; weight, 7 to 8 lbs. £26/10/-


ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

GREENER'S BREACH-LOADING GUNS.



- W. W. Greener's D.B.B.L. Hammerless Gun, 12-gauge.** The Lowest priced Gun made on the Facile Principle System, 30n. Steel Barrels, both Choke, Greener's Patent Wedge-fast Crossbolt, Independent Side Safe, Pistol Grip, Walnut Stock, neatly finished (as illustrated) £21/1
- W. W. Greener's D.B.B.L. Hammerless Gun, 12-gauge, 30n.** Steel Barrels, both Choke, Greener's Crossbolt. Chambered for 2½ Cases, proved for all nitro powders, plain finish, Independent Side Safe, Walnut Pistol Grip Stock £17/10/-
- W. W. Greener's S.B.B.L. Gun, 12-gauge, 30n.** Steel Barrel, 30n., Back Action, Rebounding Lock, Chambered for 2½ cartridges, Walnut Stock £28/10/-

SCHOLEFIELD'S BREECH-LOADING GUNS.




- Scholefield's D.B.B.L. Gun, 12-gauge, Top Lever, 30n.** Steel Barrels, Right Modified, Left Full Choke, proved for smokeless powders, Greener Patent Treble Wedge-fast Crossbolts, Engine turned Rib, Bar Rebounding Locks, Deeley Edge Fore-end Fastener, Half Pistol Hand, Walnut Stock, neatly finished (as illustrated) 90/-
- Scholefield's D.B.B.L. Hammerless Gun, 12-gauge, Steel Barrels, 30n.,** Anson and Deeley Action and Fore-end Fastener, proved for nitro powders, Greener Treble Wedge-fast Crossbolt, Good Walnut Stock, neatly engraved £17/15/-
- Scholefield's D.B.B.L. Hammerless Gun, 12-gauge, Steel Barrels, 30n.** Anson and Deeley action, Snap Fore-end Fastener, Greener Crossbolt, plain finish £17/-
- Scholefield's D.B.B.L. Gun, Top Lever, 12-gauge, 30n.** Twist Barrels, Double Underneath Bolt, Bar Rebounding Locks, Snap Fore ends, Half Pistol Hand, Walnut Stock, fancy engraving, scroll engraving, Left Barrel Choke Bore 67/6
- Scholefield's D.B.B.L. Gun, 30n.** Twist Barrels, Left Choke, Back Action Rebounding Locks, Half Pistol Hand, Walnut Stock, neatly finished 73/6
- Scholefield & Goodman's S.B.B.L. Gun, 30n.** Twist Barrels, Top Lever, Back Action, Rebounding Lock, Half Pistol Hand, Buffed Walnut Stock, well finished 67/6
- Scholefield's S.B.B.L. Gun, Top Lever, 30n.** Twist Barrel, Choke Bore, Bar Lock, Double Underbolt Buffed Walnut Stock, neatly finished 62/6

Send for Price List of Guns and Ammunition, posted free on application.

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

HOLLIS' BREECH-LOADING GUNS.



- I. Hollis & Sons' D.B.B.L. Gun, 12-gauge, 30in. Steel Barrels, Left Choke, Right Modified, Engine-turned Rib, Greener Crossbolt, Bar Rebouncing Locks, Hammers below line of sight, Pistol Grip, Walnut Stock (as illustrated)** ... £2 10/-
- I. Hollis & Sons' D.B.B.L. Hammerless Gun, 12-gauge, 30 and 30in. Damascus Barrels, Greener Crossbolt and Side Caps, High Flat File-cut Rib, Chambered for 24 cases, and proved for nitro powders, Deeley Edge Fore end Fastener, neatly engraved, good Walnut Stock, Half Pistol Grip. A good pigeon gun** ... £13/-
- I. Hollis & Sons' D.B.B.L. Hammerless Gun, 12-gauge, 30 or 32in. Steel Barrels, Greener Crossbolt and Side Caps, High Flat File-cut Rib, Chambered for 24 cases, and proved for all nitro powders. This is a good, strong Gun for hard use, Walnut Stock** ... £11/10 -
- I. Hollis & Sons' D.B.B.L. Hammerless Gun, 12-gauge, Side Locks, 30in. Steel Barrels, Chambered for 24 cases, and proved for all nitro powders, High Flat File-cut Rib, Greener Crossbolt, Walnut Stock, Pistol Grip** ... £10/-
- I. Hollis & Sons' D.B.B.L. Gun, Top Lever, 12-gauge, 30 inch Steel Barrels, Greener Treble Wedge Fast Crossbolt, Plain Rib, Back Action, Rebouncing Locks, Pistol Grip, Walnut Stock** ... £5/-
- I. Hollis & Sons' D.B.B.L. Gun, Top Lever, 12 gauge, 30in. Steel Barrels, Doll's Head Extension, Back Action Locks, Hammers below line of sight, Pistol Grip, Walnut Stock** ... £4 4/0
- I. Hollis & Sons' S.B.B.L. Gun, Top Lever 12-gauge, 30in. Steel barrels, Choke Bore, Back Action Rebouncing Lock, Hammer below line of sight, Deeley-Edge Fore-end Fastener, proved for nitro powders, good Walnut, Pistol Grip Stock** ... £2/12/6
- I. Hollis & Sons' S.B.B.L. Gun, Top Lever, 12 gauge, 30in. Twist Barrel, Choke Bore, Back Action, Rebouncing Lock, Snap Fore end, Walnut Stock** ... £4/4/-
- I. Hollis & Sons' D.B.B.L. Gun, 12 gauge, 30in. Damascus Barrels, Both Choke, Top Lever, Greener Treble Wedge-fast Crossbolts, High Flat File-cut Rib, 8 Pin Brille Locks, Chambered for 24 cases and proved for nitro powders, Pistol Grip, Walnut Stock. Special pigeon gun** ... £10/2/6
- I. Hollis & Sons' D.B.B.L. Gun, "The Palace," 12-gauge, 30in. Siemens Martin Steel Barrels, both Choke, Greener Crossbolt, High Flat File-cut Rib, Bar Rebouncing Locks, Deeley Edge Fore end Fastener, Chambered for 24 cases, and proved for nitro powders, Pistol Grip, Walnut Stock, neatly engraved** ... £8/8/-
- I. Hollis & Sons' D.B.B.L. Gun, "The Palace," 12-gauge, 30in. Siemens Martin Steel Barrels, Greener Crossbolt, High Flat File-cut Decade-level Rib, Chambered for 24 cases, and proved for all nitro powders, Steel Bar Rebouncing Locks, Deeley Edge Fore end Fastener, Hammers below line of sight, Walnut Stock, plain finish** ... £8/-
- I. Hollis & Sons' D.B.B.L. Gun, 12 gauge, 30in. Twist Barrels, Right Modified, Left Full Choke Bore, Greener Crossbolt, Engine turned Rib Bar Locks, Hammers Below Line of Sight, Chambered for 24 cases, neatly finished** ... £5/5/-
- J. O. Mayne's D.B.B.L. Gun, Top Lever, 12-gauge, Steel Barrels, 30in., Greener Crossbolt, Engine-turned Rib, Bar Locks, Walnut Stock** ... £5/-
- J. O. Mayne's D.B.B.L. Gun, Top Lever, 12-gauge, 30in. Twist Barrels, Doll's Head Extension, Engine-turned Rib, Bar Locks, Walnut Stock** ... £4/-
- J. O. Mayne's D.B.B.L. Gun Top Lever, 12-gauge, 30in. Twist Barrels, Plain Rib, Back Action Rebouncing Locks, Walnut Stock** ... £7/-
- J. O. Mayne's S.B.B.L. Gun, Top Lever, 12-gauge, 30in. Twist Barrel, Back Action Rebouncing Lock, Half Pistol Hand, Walnut Stock, plain finish** ... £3/-
- Belgian D.B.B.L. Gun, Top Lever, 12-gauge, 30 in. Steel Barrels, Greener Cross Bolt, Bar Locks, neatly finished** ... £5/-
- Belgian D.B.B.L. Gun, Top Lever, 12-gauge, 30in. Barrels** ... £5/-
- Harrington & Richardson's S.B.B.L. Gun, Top Lever, 12-gauge, 30in. Steel Barrel, plain Walnut Stock, with Patent Automatic Ejector** ... £1/-
- Harrington & Richardson's S.B.B.L. Gun, without Ejector** ... £0/-

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

MUZZLE-LOADING GUNS.



- Hollis & Sons' S.B.M.L. Gun, Twist Barrel, Bar Lock, Chequered Fore end Ebony Ramrod (as illustrated) ... 35/-
- I. Hollis & Sons' 12-Gauge S.B.M.L. Gun, Real Twist Barrel, Back action Lock, Walnut Stock, Chequered Fore-end, Ebony Rod, good engraving, well finished ... 28/-
- J. O. Mayne's 12-Gauge S.B.M.L. Gun, Back-action Lock, Chequered Fore-end ... 22/6
- I. Hollis & Sons' 12-Gauge D.B.M.L. Gun, Twist Barrels, Chequered Fore end, Back action Locks, Ebony Ramrod, Walnut Stock ... 52/-

COLLECTOR SMALL BORE BREECH-LOADING GUNS.

Useful to Orchardists and others for destroying vermin.

SUITABLE FOR LADIES' USE.

- The Tholet Arms Co.'s Collector
Gun, Single Barrel, 410-gauge
(as illustrated) ... 32/6, 33/6
Double Barrel ... 45/-




- I. Hollis & Sons' Single Barrel Breech-loading Gun, 410-gauge Collector ... 55/-
- | | | | | | | | | | | |
|----|--------|----|----|----|----|------------|-----|-----|-----|----------|
| 31 | Double | 31 | 31 | 31 | 31 | Side Lever | ... | ... | ... | 87/6 |
| 31 | 31 | 31 | 31 | 31 | 31 | Top Lever | ... | ... | ... | 105/10/- |

WINCHESTER RIFLES.



No. 544a.

- Winchester 32 Calibre Self-loading Rifle, Model 1895, "Take Down," 22 inch Round Barrel, Straight Grip, Walnut Stock, with ladder rear sight, weight about 7 lbs. To take Special 32 Calibre S.L. Cartridges only
- | | | | | | | | | | | |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|
| (No 544a) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 98/6 |
| Cartridges ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 12/3 per 100 |



No. 545a.

- Winchester 1890 Model Rifle, "Take Down," 24 inch Outgun Barrel, to take 22 Long Cartridges only
- | | | | | | | | | | | |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| (No. 545a) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 57/6 |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|

ANTHONY HORDERN & SONS, LTD. ONLY UNIVERSAL PROVIDERS

WINCHESTER RIFLES.



No. 537a.

Winchester Thumb Trigger Rifles, 22 calibre, to take 22 Short, Long or Long Rifle Cartridges, Round Barrel, 18 inches long, weight about 3 lbs. (No. 537a) 14/6

Winchester Rifle, 1906 Model, designed to handle 22 Short, Long, or Long Rifle, "Take Down," Extra Light Weight, Round Barrel 20 inches long, weight about 5 lbs.; the magazine holds 15 Short, 12 Long, or 11 Long Rifle (No. 538a) 44/-



No. 538a.



No. 539a.

Winchester Carbine, 25/20, 32, 38, and 44 calibre, Full or Half Magazine, 20 inch Round Barrel, Military Sight, weight about 5 lbs., Model 1892, (No. 539a)— 60/-



No. 540a.



Winchester 22 Calibre Automatic Rifle, "Take Down" to take Special Cartridge (22 Calibre Automatic), 20 inch Round Barrel, Plain Trigger, Straight Grip, Walnut Stock, weight about 5½ lbs (No. 540a)— Rifle, £47/6 each; Cartridges, 2/9 100; 25/- 1000

Winchester S.S. Rifle, 1904 Model, to take 22 Calibre Short, Long or Extra Long Cartridges, Round Barrel 21 inches long, weight about 4 lbs. (No. 541a) ... 24/6
As above with Elevating Sight— 25 6



No. 541a.



No. 542a.

Winchester S.S. Rifle, Model 1902, to take 22 Short, Long or Extra Long Cartridges, Round Barrel 18 inches long, weight about 3 lbs. (No. 542a) 18/6
As above, with Elevating Sight— 20/-

Winchester Rifle, 1892 Model, Full or Half Magazine, 24 inch Octagon Barrel, Calibre 25/20, 32, 38 or 44, Ladder Sight, weight about 6½ lbs. (No. 543a) 65/-



No. 543a.

WINCHESTER SELF-LOADING SHOT GUNS.



Winchester Self-Loading Shot Gun. Will handle any 12-gauge Cartridge. It is a recoil operated 5-Shot Repeater, firing 5 shots in less than 8 seconds; takes apart for carrying. The Barrel, Receiver, and all working parts are made of Nickel Steel. Perfect balance; Weight, about 8lbs.; solid Walnut Stock £1/10/-

B.S.A. MINIATURE SINGLE SHOT RIFLE, Model No. 2.



"Take Down." 22 "long" rifle or "short" rim fire cartridges. Fitted with patent Scaled Breech Closure, patent Safety Bolt Action, Self-cocking, strong Shell Extractor and Ejector, finely adjusted. It is solidly and beautifully built of the highest class of material, the parts are few and are all absolutely interchangeable. Best Steel Round Heavy Barrel 24in. long; Length over all, 41in.; Weight, 5lbs. 32/6



Bayard Semi-Automatic Rifle, made for 22 Calibre short and long Cartridges, with Detachable Barrel. The firing of the rifle ejects the empty shell and leaves the breech ready to receive the next cartridge. Length Overall, 28½in.; Length of Barrel, 19in.; Weight, about 3½lbs. (as illustration) 22/6



Colt's Automatic Pistol, 32 Calibre (as illustrated). Magazine to hold 7 Cartridges; no recoil; fitted with 2 Safety Devices; well balanced; good grip 30/-


Cartridges 32 Calibre 6/6 per 100

Wbley Scott Auto Pistol 50/-

Anthony Horderns' Famous Low Prices, are for both town and country. To country customers ordering through the post the same prices are charged as to people buying over the counter, and the same goods are sent, for if it be true that the country helps the town, it is also true that Anthony Horderns' Famous Low Prices, helps the country.

ANTHONY HORDERN & SONS, LTD. ONLY UNIVERSAL PROVIDERS

GUN CASES, &c.



No. 524A.

Waterproof Covers for Lee Enfield Rifles, Tan Duck, with Leather across action and with Sling (No. 524A) ... 6/6



No. 526A.

Waterproof Covers for Lee Enfield Rifles, Strong Canvas, Leather Bound (No. 526A) ... 3/3



No. 530A.

Waterproof Rifle Cover, Strong Canvas, Leather Bound, to take the 1902 and 1904 Winchester Rifle (No. 530A) 4/-
Solid Leather Rifle Covers, for 303 Military Rifles... 16/-



No. 529A.

Steel Cleaning Rod for Military Rifles 303, Wood Covered (No. 529A) ... 2/5
Ball-Bearing Cleaning Rods, 303 ... 4/6

ALL THE BEST REVOLVERS,

Reliable "Five Shooters" by standard makers.

Harrington & Richardson Revolvers (No. 517),
as illustration, in 22, 32, 33 Calibre—

Nickel, 3in. Barrel, Premier	19/-
Blued	20/-
Nickel, 2in. Barrel, Bicycle	19/-
Blued	20/-

Harrington & Richardson Hammerless Revolvers
S. and W. Action, 22, 32, 38 Calibre—
Nickel, 2 1/2in. Barrel, Blued, 22/-

Smith & Wesson's Revolvers, 32 and 38 Calibre,
3 1/2in. and 4in. Barrels 75/-, 80/-, 85/-, 90/-

Young America Revolvers, 22 Calibre—
2in. Barrel, Nickel 13/-
Blued 14/-
4in. Barrel 15/-

Colt's Pocket Positive Revolvers, 32 Calibre 80/-

Colt's Police Positive Revolvers, 28 Calibre
4in. Barrel, Blued 75/-

Colt's Army Special Revolvers, 38 Calibre—
6in., Blued 80/-

Webley & Scott Automatic Pistol, 32 Calibre 50/-



No. 517

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

RE-LOADING TOOLS, GUN CASES, &c

As well as other things that convenience the Sportsman and give added pleasure to sport.



Strong Waterproof Canvas Gun Case ... 5/-, 6/-, 9/6

Waterproof Canvas Rifle Covers ... 3/3, 6/6



Blocked Leather Leg of Mutton Gun Case, with handle, 21/-, 34/-

Solid Leather Shooting Case ... 17/-, 19/-, 26/-

Solid Leather Cartridge Carriers, to hold 200 ... 22/6




Cartridge Loader, Turnover, and Re-capper,
12 Gauge 14/-



Fine Brown Canvas Gun Case, red lined, lock and short straps, 10, 11 C

Solid Leather ... 30/-, 40/-

Brass Corners ... 60/-



12-Gauge Re-capper and De-Capper
4/3, 5/3, 6/-



Cartridge Belt, 12 Gauge, Steel Clips, to hold 25, 4/3, 5/3, 6/3

Rifle Re-loading Tools, 25-30, 32/-, 38 & 34 Calibre, 10/- set

The Eureka Re-loading Set of Tools, with Cleaning Rod and Fittings ... complete, 4/6 set

Winchester Re-loading Tools, 1892 Model ... 10 ..

Cleaning Rods, 12, 16, 20 gauge ... 16, 3/6, 4/9

Tomlinson Cleaner, for removing rust, 14, 16 gauge ... 2/6



12-Gauge Turnover ... 4/3

The Universal Extractor, to extract Cartridges from any Gauge Gun ... each

Cartridge Extractors, 12 gauge ... 7/9 ..

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

MILITARY RIFLE REQUISITES.



No. 517A

Andrews Ventometers (No. 517A) 6/3



No. 527A.

Parker's Dead Black (No. 527A) -/6

Bisley Dead Black -/6



No. 520A

Andrews Fore-Sight Definers (No. 520A) .. 2/-

Back-Sight Protectors, Leather 1/- each




No. 531A

Cartridge Bag, Waterproof (No. 531A)—

To hold 50 4/-

100 4/3, 6/3, 7/-



No. 518A.

Andrews Latest Improved Verniers, with Wind Gauge (No. 518A) 10/6

The Commonwealth Orthoptic Aperture Rifle Sight, passed by the N.R.A.C. of N.S.W. 20/-

Extra Discs -/9

Thumbscrews 1/-



No. 523A.


303 Cleaning Set, complete (No. 523A) 1/6

RIFLE REQUISITES.

Fluid White	6	bot.
Chinese "	1	tube
Flake "	5	"
Soap Pencils	2	each
Colour Boxes	8	"
Brushes for 303 Rods, plain	1	"
" " " " " " " " " " " "	1	"
Stee. Scow. in Brass Tube	1/-	"
Gun Oil	79	bot.
Champion Rifle Oil	6	"
Mowbray's Rifle Oil	9	"
Flannellette Patches	4	pkt.
Motty Paste	1	tin
Stephen Young's Oil	7	bot.
Eley's Nitrocelene	6	"
" " " " " " " " " " " "	10	tin
" " " " " " " " " " " "	7	tube
Tullock's Paste	9	tin
Wool Mops for oiling	1	each
Winchester Red W. Gun Oil	6	bot.
Many Use Oil	8	"

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

GAME BAGS AND BARREL CLEANERS.



No. 582a.

Barrel Cleaners, in pouches, 12-gauge (No. 582a) complete 2/3



No. 533a.

Strong Tanned Canvas Game Bag, with web, sling and net (No. 533a) ... 6/3, 7/3, 11/-

With gussets, leather-lined and net 15/-, 18/-

Without Net 4/6

WINCHESTER CARTRIDGES.



12-gauge.

Box of 25	2/-
Per 100	
Per 1000	




Box of 50	6/3
Per 100	12/3
Per 1000	115/-



Box of 50	3/4
Per 100	6/6
Per 1000	62/6



Box of 50	3/4
Per 100	6/6
Per 1000	62/6



Box of 50	3/10
Per 100	7 6
Per 1000	72/6



Box of 50	3/10
Per 100	7/6
Per 1000	72/6



Box of 100	1/8	...	1/10
Per 1000	11/6	...	8/-



Box of 50	2/3
Per 100	4/8
Per 1000	39/-



Box of 50	2/9
Per 100	5/3
Per 1000	48 0



Per 100	1/5	...	1/8
Per 1000	12/6	...	11/-



Per 100	1/5
Per 1000	12/6



Per 100	2/8
Per 1000	25/-



Per 100	8/-
Per 1000	26 6



Per 100	2 9
Per 1000	26/-

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

RENOWNED CARTRIDGES.

Eley's Universal Cartridges	12 and 16 gauge	per 1000, 75/-	per 100, 6/-	box of 25, 3/-
Amberite, 2 1/2 case	12	107/6	12/-	3/6
" Pigeon, 2 1/2 case	12	122/6	13/-	3/6
Diamond Smokeless	12	107/6	12/-	3/6
Smokeless, E.B.	12	92/6	9/9	2/6
" Fourteen," Smokeless	12	60/-	6/6	1/9
Green Gastlight, Black Powder	12	52/6	5/9	1/6
Tree Brand, Smokeless	12 and 16	52/6	9/9	2/6
Eley's Revolver Cartridges, C.F.	320	36/6	4/-	box of 50, 2/2
"	380	45/-	5/-	2/8
"	442	60/-	6/6	3/4
"	450	62/6	6/9	3/6
Rifle Cartridges, C.F.	320	37/6	4/8	2/3
"	310	44/-	4/9	2/6
"	380	47/6	5/3	2/9
"	442	57/6	6/3	3/2

WINCHESTER CARTRIDGES.

New Rival C.F., 12 gauge	per 1000, 75/-	per 100, 8/-	box of 25, 2/-
Repeater Schultz 12	110/-	11/9	3
" Dupont 12	110/-	11/9	3
" Wadsworth, 16	107/6	11/6	2, 11
32 S. & W. C.F. Revolver Cartridges	39/-	4/3	box of 50, 2/3
38 " " "	48/9	5/3	2/9
23/30 C.F. Rifle Cartridges	62/6	6/6	3/4
32 " " "	62/6	6/6	3/4
38 " " "	72/6	7/6	3 10
44 " " "	72/6	7/6	3/10
32 Automatic Cartridges	115/-	12/3	6/3
22 Extra Short (C.B. Caps) R.F. Black Powder	11/8	1/3	
22 Short	11/-	1/8	
22 Long	13/-	1/5	
22 Extra long	25/-	2/8	
22 Long Shotted	28/6	3/-	
22 Short, Hollow Points	12/6	1/3	
22 Extra Short (B.B. Caps) Smokeless	3/-	1/10	
22 " (C.B. Caps)	11/8	1/3	
22 Short	12/6	1/5	
22 Long	14/6	1/7	
22 Long Rifle	16/6	1/8	
22 Automatic	25/-	2/9	
22 Short, Hollow Point	14/-	1/6	
22 Long	16/-	1/9	
Primers	6/8		box of 250, 1/9

POWDER, SHOT, AND SHOOTERS' SUNDRIES.

Eley's 12 and 16-Gauge Cartridge Cases	Brown, 3/3 per 100; Green, 4/6 per 100
Eley's Percussion Caps—	
For Muzzle-loading Guns, boxes of 100, -/3; 250, -/6	For Breech-loading Guns, boxes of 100, -/8; 250, 1/-
Felt Wads, Grey, 3/4 in. thick	2/6 lb. box
Thin Cardboard Wads	-/8 box of 1000
Curtis's and Harvey's FFF Powder	1/8 lb.
Chilworth FFF Powder	1/8 in.
Anstral Powder	1/8 in.
E.C. Smokeless Powder	8/ 12
Schultz	6 6 12
Amberite	7/- 12
Curtis's and Harvey's Diamond Grain Powder	3/6 12
Best Chilled Shot	-/4 lb.; 2/3 by 7lb. bag
Rifle Primed Shells	32, 3 3; 38, 3/6; 44, 4/-
Hartlingham Gun Oil	-/9 bot.
Champion Rifle Oil, for removing Nickel and Fouling from Guns and Rifles	6 12
Winchester Rust Remover	6 tube
Winchester Gun Grease	-/5 12

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

WINCHESTER GUN OIL AND GUN CLEANER.



For Removing Rust in Gun and Rifle Barrels -/6 per tube



GUN OIL.

For Lubricating Guns and Rifles and Preventing Rust.
-/6 per bottle.



CRYSTAL CLEANER.

For Dissolving the Copper and Nickel Fouling from the
Barrels.
-/6 per bottle.



For Preserving Metal Parts of Guns and Rifles from Rusting when not in use -/6 per tube


The "Many Use" Oil, for Oiling all parts of Firearms, Talking Machines, Typewriters, Oil Stones, Lawn Mowers, Reels, Rods and Sewing Machines. In 4oz. Tins, with Reversible Spout, making complete Oil Can -/8 tin

ANTHONY HORDERN & SONS, LTD. ONLY UNIVERSAL PROVIDERS

ALL KINDS OF FISHERMEN'S GEAR.



For Sportsmen of every degree, for catchers of Gudgeon and Yellow Tails, for mighty fishers in the vasty deep, When anything appertaining to "the gentle art" is wanted, please "drop us a line."



Bream Lines, Best Hemp—

Special ...	50 yds., -/4	100 yds., -/8
Nos. 000, 00, 0 ...	-/5	1/10
No. 1 ...	25 yds., -/3	-/5

Flathead Lines—

No. 2 ...	50 yds., -/6	100 yds., 1/-	150 yds., 1/6
No. 3 ...	1/7	1/2	

Best Hemp Sea Lines—

No. 4 ...	50 yds., 1/8	100 yds., 1/4
No. 5 ...	-/9	1/6
No. 6 ...	1/11	1/10
No. 7 ...	1	2
No. 8 ...	1 1/2	3

Light Schnapper Lines, on Reels—

	50	100	150	200 yds.
15 cord ...	-/9	1/6	2/2	2/11
18 " ...	-/9	1/8	2/2	3/-
21 " ...	-/10	1/8	2/3	3/3
24 " ...	-/10	1/8	2/3	3/3

"Our Own" Schnapper Lines, on Reels—

	50	100	150	200	250 yds.
27 cord -/11	1/9	2/3	3/3	4/6	
Heavier, 36 "	1/3	2/6	3/6	4/6	5/8
27 cord, specially fine ...	150 yds., 2/6	200 yds., 3/3			

This is one of the finest lines made in 27 cord.

All the above, with the exception of 27 and 36 cord, can be had in Tan, Drab, Green, Sage or White. The 27 and 36 cord in Tan and Drab only.

Hemp Lines, varnished, No. 2, 50 yds., 1/2, 100 yds., 2/-

"Rubbo" Line Dressing ... -/5 bottle

"Rubbo" Waterproof Lines—

No. 2, 25 yds., -/6; 50 yds., -/10; 100 yds., 1/8

"Rubbo" Waterproof Silk Lines—

25 yards, 1/4; 50 yards, 2/2, 100 yards, 4/-


Silk Twist, Double Lengths, varnished, 33 yards—

Silk Twist, Double Lengths, 33 yards—

Nos. 8 10 12 14 16 18 20 24 30

Per hank -/6 -/5 -/4 -/4 -/3 -/3 -/3 -/3 ea.

1/8 Per oz.



Waterproof Lines, Dressed, on Corks—

100 yards, stout ... 2-

100 " fine ... 1/10

Local make Waterproof Line, 50 yards ... 1/11

ANTHONY HORDERN & SONS, LTD., PALACE EMPORIUM, SYDNEY.

FISHERMEN'S GEAR.

"Saline" Enamelled Silk Lines, plaited
in 4 x 25yds. connected.

	H	D	F	E	D	C	B	K
	3 6	3/9	4/6	5/6	6/6	7/9	8/6	

Plaited Waterproof Trout and Salmon Lines—

	B	C	D	E	F	G	I
40yds.	7/-	6/-	6/6	4/9	4/3	3/9	3/3 each
60yds.	10/6	9/6	8/-	7/-	6/6	5/10	4/10 "
100yds.	17/6	15/-	13/6	11/6	10/9	9/6	8/3 "



No. 3

Allwood's Federal Line, in 4 x 25yds. connected (No. 3)—
Fine, -/8; Medium, -/9; Scout, -/10 per 25yds.

Shark Lines, in Hanks—			
	100	150	200
Tan only	4/6	6/3	8/6
27 cord, heavy	3/2	5/-	6/-

Best Mason or Brick Lines White

No. 6	50 yds.	-/10; 100 yds.	1/8
No. 10	80 yds.	-/6; 100 "	1/-; 150 "

Japanese Silk Lines, 40 yds. ... 1/3

"Zenith" Flax Plaited Lines, for Big Fish Spinning—

No. 1/0, 200 yards	14/- each
" 2, 200 "	12/6 "



The Standard Double Tapered Lines—

H.E.H., 40 yards	10/6 each
H.I., 40 yards, Single	6/6 "

Speckled Waterproof Trout Lines—

G., 40 yards	4/6 each
L., 40 "	3/6 "
K., 40 "	2/3 "

"Stag" Double Taper Casting Line—

H.D.H., 40 yards	16/- each
------------------	-----------

Fish Hooks, Flatted, W. Bartlett & Son's, Kendall

Kirby, extra heavy, Japanned—									
Nos. 12 to 1	1 1/2	1.0	2.0	3.0	4.0	5.0	6.0		
	1/4	1/3	1/6	1/9	1/11	2/-	2/3	2/6	per 100
	-2 1/2	-2 1/2	-2 1/2	-3	-3	-3 1/2	3 1/2	-4	doz.

Fish Hooks, Flatted, W. Bartlett & Son's, Kendall Kirby,

Extra Extra Heavy, Bright or Japanned—

Nos. 8, 7, 6, 5, 4,	1/6 per 100; -2 1/2 per doz.
---------------------	------------------------------

No. 2	1/8	-2 1/2
-------	-----	--------

Nos. 1	1 1/2	1.0	2.0	3.0	4.0
--------	-------	-----	-----	-----	-----

1/11	2/-	2/3	2/4	2/9	3/3 per 100
------	-----	-----	-----	-----	-------------

3/8	-2 1/2	-4	-4	-4 1/2	-5 doz.
-----	--------	----	----	--------	---------

Nos. 5-0	6.0	7.0	8.0	9.0	10.0
----------	-----	-----	-----	-----	------

3/9	4/3	5/6	7/6	10	14 6 per 100
-----	-----	-----	-----	----	--------------

7/6	-7	9	1	1/4	2 - doz.
-----	----	---	---	-----	----------

Fish Hooks, Flatted, W. Bartlett & Son's, Kendall Kirby,

Light, Bright or Japanned—

1/2 in. longer Shank, Broazed, Rust Proof -

Nos. 4, 3, 2, 1	1/2 per 100
-----------------	-------------

Nos. 10	2.0	3.0	4.0	5.0	6.0
---------	-----	-----	-----	-----	-----

1/4	1/6	1/9	1/11	2/-	2/3 "
-----	-----	-----	------	-----	-------

XX Strong—Nos. 10, 8, 6, 4, 3, 2 ... 1/8 "

Nos. 1	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0
--------	-----	-----	-----	-----	-----	-----	-----	-----

2/-	2/3	2/4	2/9	3/3	3/9	4/3	5/6	7/6 "
-----	-----	-----	-----	-----	-----	-----	-----	-------

Fish Hooks, Flatted, A. Willis and

Son's, Kendall Kirby, Bright or

Japanned—

Nos. 12 to 1	1/- per 100, -2 per doz.
--------------	--------------------------

Nos. 10	2.0	3.0	4.0	5.0	6.0
---------	-----	-----	-----	-----	-----


1/1	1/2	1/3	1/5	1/7	1/9 per 100
-----	-----	-----	-----	-----	-------------

-3	-3	-3	-3	-3	3/3 doz.
----	----	----	----	----	----------

QUALITY
FISHES F
FLAT

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

MORE FISHERMEN'S GEAR.



No. 182.

Fish Hooks, Willis's, Fine, Kendall Kirby, Rustproof, best quality (No. 180)—

Nos. 12 to 1 ... 1/ per 100; -1/2 per doz.
Nos. 1-0 2-0 3-0 4-0 ... 6-0 7-0 8-0
1/1 1/2 1/3 1/5 1/7 1/9 2/- 2/6 per 100
-1/3 -1/3 -1/3 -1/3 -1/3 -1/3 -1/3 -1/4 per doz.

Fish Hooks, Willis's, Kendall Kirby, Extra Extra Strong, Long or Short Shanks, Bright, Japanned and Brozed—

Nos. 12 to 1 ... 1/2 per 100
Nos. 1-0 2-0 3-0 4-0 5-0 6-0 7-0 8-0 9-0 10-0
1/2 1/4 1/9 2/- 2/4 2/9 3/8 3/9 4/9 5/8 per 100



No. 5.

French Hooks, Willis's, Turn-down Eye (No. 5)—

Nos. 5-0 4-0 3-0 2-0 1-0 1 to 12
4/- 3/6 3/6 3/8 3/- 2/8 per 100
-1/7 -1/7 -1/7 -1/8 -1/8 -1/8 per doz.

Hollow Point Limerick Hooks, Extra Extra Heavy, Japanned, Kirbed—

Nos. 1-0 2-0 3-0 4-0 5-0 6-0 7-0 8-0
2/3 2/4 2/9 3/3 3/3 4/3 5/6 7/6 per 100
-1/4 -1/4 -1/4 -1/5 -1/6 -1/7 -1/8 -1/10 .. doz.

XXXX Hooks, for Black Fish, Bright or Japanned, Extra Short Shank—

Nos. 3 4 5 6 7 8
2/8 2/6 2/3 1/10 1/9 1/8 per 100
-1/4 -1/4 -1/4 -1/5 -1/5 -1/5 .. doz.

Patent Turn-down-Eye Rustproof Hooks—

Nos. 7, 6, 5, 4, 3, 2, 1 ... 2/8 per 100; -1/4 per doz.
Nos. 1 1/2 1-0 2-0 3-0 4-0
3/8 4/- 4/6 5/- 5/6 per 100
-1/5 -1/5 -1/7 -1/8 -1/9 .. doz.

Hooks to Single Gut, Bright—

Nos. 10, 9, 8, 7, 6, 5, 4, 3, 2, 1 ... -1/8 per doz.
No. 1 0 ... -1/9 doz. Nos. 2-0, 3-0 ... -1/10 doz.

Hooks to Twisted Gut, No. 1, Bright ...

Nos. 1-0 2-0 3-0 4-0 5-0 6-0
1/4 1/4 1/8 1/9 1/11 2/- per doz.

Shark Hooks, on Chains, Japanned—

	Large	Medium	Small	Smaller
Heavier ...	1/8	1/8	1/4	1/3 each
	1/9	1/7	1/6	1/4 ..

Hooks, Snooded, with 27 cord line, for Schnapper, Japanned—

Nos. 3-0 4-0 5-0 6-0 7-0 8-0
-1/10 -1/11 1/- 1/- 1/- 1/2 per doz.

Useful Hints when ordering Hooks.—No. 1-0 is the middle size of nearly every range of Hooks.

Nos. 12 to 6, 5, 4, 3, 2, 1, 1 1/2 1-0 2-0, 3-0 and up to 10-0
1/2in. 1/2in. 1 1/2in. getting larger, 4in.

Fishing Nets, Hemp, 50 yards long, 100 meshes deep—

Size of Mesh	1 1/2	1 1/2	2 1/2 to 4 1/2in.
Made of 6lb. Twine, fine	52/6	48/6	33/-
" 9lb. Twine, medium	—	—	38/6
" 12lb. Twine, stout	—	—	49/6

Fishing Nets, Stuart's Best Quality Cotton, 40 yards long, 100 meshes deep—

Size of Mesh	1	1 1/2	1 1/2	2 1/2 to 4 1/2in.
9-ply ...	—	17/6	16/-	11/-
12-ply ...	21/8	30/-	18/-	13/3
15-ply ...	—	23/-	21/6	16/6
18-ply ...	—	28/6	25/6	19/3
24-ply ...	—	—	—	24/9

Fishing Nets, Heavy Cotton

Size of Mesh	2 1/2	3	3 1/2	4 and 4 1/2in.
10-12-ply ...	—	—	—	61/-
10-18-ply ...	—	—	—	82/6

When taking size of mesh of fishing nets, measurement should be taken with the mesh fully stretched; thus, a mesh measuring 3in when pulled out will mean a 1 1/2in. square when hung up.

Stewart's Prawn Nets, best quality, ready for use, tanned, corked and leaded—

	8ft. deep, 1 1/2in. mesh, 9-ply	...	-1/7 per foot
9ft. "	"	"	-1/8 "
12ft. "	"	"	-1/11 "


FISHERMEN'S PROPERTIES.

Fishing made easy and economical at Anthony Horderns' Famous Low Prices.

FISHING NETS.

Tanned, Roped, Corked and Leaded.—Ready for Use.

Size of Mesh.	Qty of Codium	Depth	Yards in Length.							
			10	20	30	40	50	60	70	80
2 1/2 m	9	8 ft.	18/6	23/-	30/-	38/6	46/3	54/-	61/6	69/-
2 1/2 m	12	8 ft.	18/-	24/-	31/8	40/-	48/-	56/-	65/-	73/-
3 m	9	8 ft.	14/-	18/-	23/-	28/-	33/-	40/-	47/-	54/-
3 m	12	8 ft.	14/8	20/-	28/-	34/-	41/-	48/-	55/-	62/-
4 m	9	8 ft.	12/8	18/-	24/-	30/-	37/-	43/-	50/-	57/-
4 m	12	8 ft.	14/-	19/-	25/-	32/-	38/-	45/-	51/-	57/-
5 m	9	8 ft.	17/9	23/-	31/-	39/-	47/-	55/-	63/-	71/-
5 m	12	8 ft.	18/-	24/-	32/-	40/-	48/-	56/-	64/-	72/-
6 m	9	8 ft.	15/6	22/-	30/-	37/-	45/-	53/-	61/-	69/-
6 m	12	8 ft.	16/-	24/-	32/-	40/-	48/-	56/-	64/-	72/-
7 m	9	8 ft.	14/8	21/-	29/-	37/-	45/-	53/-	61/-	69/-
7 m	12	8 ft.	15/-	22/-	30/-	37/-	45/-	53/-	61/-	69/-
8 m	9	12 ft.	20/6	27/-	35/-	43/-	51/-	59/-	67/-	75/-
8 m	12	12 ft.	22/-	30/-	38/-	46/-	54/-	62/-	70/-	78/-
9 m	9	12 ft.	18/-	26/-	34/-	42/-	50/-	58/-	66/-	74/-
9 m	12	12 ft.	20/-	30/-	40/-	50/-	60/-	70/-	80/-	90/-
10 m	9	14 ft.	15/6	23/6	31/6	39/6	47/6	55/6	63/6	71/6
10 m	12	14 ft.	16/6	24/-	32/-	40/-	48/-	56/-	64/-	72/-



The "Wallace" Landing Net, with handle ... 10/6
The "Quicksure" Landing Net, Collapsing ... 28 6
The "Parson" Landing Net ... 7 6
Landing Folding Nets, complete, 2/8, 4/9, 5/8, 10/-, 16/6
Folding Landing Net and Gaff Hook, complete ... 4/3
Corks, 3in. to 4in. square, for reeling lines on, -/1 each
Corks, for Net ... -/10 doz.
Coir Rope, for 50 yards Net ... about 5/-
Lead, for 50 yards Net ... 2/-
Hanging Twine ... -/10, 1/6 per hank
Folding "Boat" Landing Net, complete ... 2/6



Screw Gaff Hooks

No. 1	1/3
Trout size	2/3
Salmon size	2/9



No. 518. 3 Joint.

No. 519. 5 Joint.

9ft., 3 joints, Ash bottom Rod	1/3
11ft., 3	2/-
11ft., 3	with tennons	2/6
11ft., 3	ringed and tennons	2/9
12ft., 3	stained, ringed and tennons	4/6
11ft., 3 joints, Ash bottom Rod, Winch fitted, stained (No. 518)...	5/9
11ft., 3 joints, Hickory Rod	7/-
12ft., 3	...	Bamboo	brazed	8/-
11ft., 3 joints, Hickory bottom, ringed, brazed, and Winch fitted	8/-
8, 10 and 11ft., 5 joints, Cycle Rod, Greenheart, 4 tops	23/-
12ft., 6 joints, all Greenheart, Fly bottom and Spinning Rod, 4 tops	23/-
13ft., 4 joints, 2 tops, best Salmon Rod	23/-
10 1/2 ft., cane, Spinning and Fly Rod, cork handle	25/-
16ft., 4 joints, best finish, with solid rings, double brazed	25/-
12ft., 4 joints, Greenheart, very superior 4 joints, 2 tops	40/-
The "Doctor" Walking Stick, Rod, and Bag	28/-

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

FISHING RODS, &c.

RODS, &c.



No. 5. 5 Joint.



No. 3a. 3 Joint.



No. 4. 3 Joint.

11ft. Hickory Spinning Rod. 5 joints (No. 3) ...	8/6
11ft., 4 joints, spinning and trolling, 2 tops, snake rings, universal Winch fittings ...	8/6
11ft. G.H. Fly Rod ...	9/-
12ft., 3 joints, Fly Rod, Greenheart joints and top	9/6
10ft., 5 joints, Fly Rod, Greenheart single braced, balance handle ...	13/-
12ft., 3 joints, Roach Rod, green cane, superior finish	20/-
7ft. Greenheart "Tarpon" Rods, 2 joints ...	21/-
10ft., 2 joints, "Princess" Brook Rod, 2 tops and landing handle ...	22/-
12ft., 3 joints, very best Fly Rod double braced, rubber button, solid Winch fittings, 2 tops, 3 joints (No. 3a) ...	22/-
Extra Rod Top Joints -	
Superior finish, spliced cane, 3ft. extra tops, Greenheart ...	2/3
Superior finish, spliced cane, 4ft. extra tops, Greenheart ...	3/3
Extra Lance wood tops—	
4ft. ...	1/7
3ft. ...	1/6
Lance Wood and Greenheart in Squares, for Rod Building	
1/4 ... 1/8 ... 1/10 ... 1/12 ... 1/16 ... 1/20 ... 1/25 ... 1/30 ... 1/40 ... 1/50 ... 1/60 ... 1/80 ... 1/100 ... 1/120 ... 1/150 ... 1/200 ... 1/250 ... 1/300 ... 1/400 ... 1/500 ... 1/600 ... 1/800 ... 1/1000 ...	1 1/2 in. 2/3

Steel Bait Casting Rods, 8ft. ...	13/-
Heddon's Bait Casting Rods, superior finish, split cane, 2 tops, agate guides and top rings, cork grip, 5ft. ...	25/-
The "Sirdar" Pike Rod, 2 Green heart tops, solid Winch fittings, double cork handle, rubber button, very best finish— (No. 4) ...	28/-
10ft. split cane, cork handle ...	36/-
18ft., 4 joint, best Salmon Rod, 2 tops ...	42/-
11ft., superior finish, split cane, closely whipped... ..	43/-
12ft., 3 joints, all Greenheart, extra whipped, perfect Rod for "Test" Fishing... ..	45/-
10ft. split cane, Fly Rod, 2 tops, landing handle, cork grip, lock joints ...	52/-
7ft. split cane, "Tarpon" Rod, 2 joints, lock joint, cork grip ...	54/-
10ft. split cane, lock joints	57/6

Split Cane Rods—

11 or 12ft., 3 joints, steel centre, fly Rods, 2 tops, 70/-	
9ft., "The Alcock" aerial split cane, trout Rod	77/6
10 or 12ft., 3 joints, split cane and Greenheart, steel centre Rod ...	97/6
11 or 12ft., "The Standard," 3 joints, cork handle, revolving end ring, rubber button, very closely whipped, steel centre... ..	120/- each

Fishermen's Baskets, English pattern -

13	14	15	16 in.
3/9	4/6	5/6	6/- each

Straps for same, 1/- extra.

Baskets, all cane

18 x 10	23 x 12	20 x 11 x 11	18 x 14 x 10 inch
3, 5/6	9/-	8/-	10/3 each

Fishermen's Knives, Sheath & Belt, 1 6, 2/6, 3/- complete

Daggers ...	-2/-	-6 each
Twisting Machines ...	8/6	"
Fish Scrapers, made of Band Saw Steel ...	-6 each	"
Herring Twine, best Italian ...	2/6 per hand	"
Salmon " " ...	2/8	"
Hammock " " ...	1/10	"

ROD FITTINGS.

"His hook was baited with a dragon's tail, and then on rock he stood to bob for whale."



No. 531

Red Reels—

Nottingham Walnut, with removable check—


3	3½	4
3/9	4/6	4/9 each

Nottingham, Star Brass Back, well polished (No. 521)—

2	2½	3	3½	4
2/-	2/6	3/-	3/6	4/- each

Bait Casting Reels, Multiplying ... 15/- "

"Quick-a-part" Bait Casting Reels ... 22/- "



No. 204

Bronzed Reels (No. 204) —

2½ in., 3/-; 3 in., 5/-; 3½ in., 6/6; 4 in., 8/8



No. 520.

Red Reels—

Screwed Handles, Lacquered (No. 520)—

2	2½	2½	3
1/4	1/11	2/9	3/9 each

Plain Brass Lacquered Reels—

2	2½	2½
-/8	-/10	1/- each

Brass Lacquered Reels, with Check—

2	2½	2½	3
2/-	2/6	3/4	4/- each

Rod Ferrules—

⅞	⅞	⅞	⅞	⅞	⅞ in.
-/2	-/2	-/2	-/3	-/3	-/3 each
⅞	⅞	⅞	⅞	⅞	⅞ in.
-/3	-/4	-/4	-/4	-/4	-/4 each

Bait Ferrules—

1	1½	1½	1½
-/10	-/10	-/11	1/- each

Knuckle Joints—

Brass, 2/9; Gun Metal, 4/-



No. 225.

Ebonite and Metal Sea Reels (No. 225)—

3 in., 13/-; 3½ in., 15/-; 4 in., 17/-

Patent Aerial Reel ... 3 in., 33/-; 4 in., 39/-

Mahseer Reel, with Brake, 4½ in. ... 55/-

American Ebonite Tarpon Reel ... 54/-

Gunmetal Moscrop Patent Reel, 3½ in. ... 32/-

Metal Check Reels ... 3 in., 13/-; 3½ in., 15/-; 4 in., 17/-

ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

FISHERMEN'S NEEDS.



Rod Rings	-/8, -/8 doz.
Agate Rod Rings	1/6, 2/3, 2/5 each
Agate Top Rings	1/-, 2/3 "
Winch Fittings—					
1	1-3/8	1 1/2	1 1/2	in.	
-/6	-/8	-/8	-/5	set	
Universal -/10	-/11	1/-	1/-	each	



Sydney Gut Casts, Nos. 113 and 114—

1	2	3 yds.
/2	-/4	-/6 each
-/4 1/2	-/8	1/2 "
-/2 1/2	-/5	-/7 "

The "Norma" Gut Casts, No 115, best quality—
lyd., -/4; 2yds., -/8; 3yds., 1/- each

Silkworm Gut, in Hanks—

1/-, 1/3, 1/6, 2/3, 2/6, 4/6, 6/-, 13/8 per 100

Gimp, in Hanks—

20/- lb.; 1/4 oz.; or, -/2, -/2 1/2, -/3 yard



Single Gut Traces 1 1/2 yds. /7 each



Double Gut Traces 1 1/2 yds. 1/- each

Steel Traces 1 1/2 " 1/- "

Scouts' Sheath Knives—

Sin., -/5; 5 1/2 in., -/6; 5 1/2 in., -/11 (black handle)

Joseph Rodgers' Sheath Knives—

Sin., 1/5, 5 1/2 in., 1/8; 6 in., 1/7

Leather Sheaths -/5 each

Knife Sheath, Belt, and Pouch, for Scouts outfits -

1/6, 1/11, 2/3, 2/9

Fisherman's Leather Belts ... 1/-, 9, 8, /5 each

Nickel Sea Bells -/7 each

Fly Vices 5/8 "

Handles for Nottingham Reels /7 "

Reel Cases Grilse, 3/9, Salmon, 4/6 "

Phosphor Rustproof Gimp, 10x. spools

2/6 oz.; -/3 per yard

Hudd's Patent Line Guards... .. 1/9 each

All Prices in this Catalogue are subject to
Market Fluctuations.

FISHERMEN'S APPLIANCES.



Porcelain Top Rings ... 1/- each
 Porcelain Rod Rings ... -/8 "



Fly Cases, as illustrated ... 1/6 each
 Japanned Tackle Cases ... 9/- "
 "Priest's" Combination Tackle Cases ...
 12/6, 15/-, 17/6 "



Fly Cases, larger size ... 7/6 each



Waterproof Trout Bags, with Straps ... 7/6 each
 " Game " " " " 9/- "
 " Tackle " " " " 1/9 "



Floats--	1 1/2	2	2 1/2	3	in.
	-/2	-/2 1/2	-/4	-/5	each
		-/5	-/6	-/7	"
		-/3 1/2	-/4 1/2	-/5	"
		-/3	-/3 1/2	-/3 1/2	"
Nos.	1	3	5	7	9
	-/1 1/2	-/2	-/2 1/2	-/3	-/4

Fisherman's Spring Balances ... 5 7 10 lb.
 2/- 2/- 2/6 each

Strip Lead, very thin, for Black Bream Fishing, -/1 roll



No. 522.
 Devon Baits (No. 522) ... 1/- to 1/6 each
 Spoon Bait (No. 523) ...

Nos.	1	2	3	4	5	6
	-/7	-/8	-/9	-/11	1/-	1/3

Solenkin Baits ... 1/3 each

Norwich Spoon Baits—
 2in., 1/2; 2 1/2in., 1/4; 3in., 1/8; 3 1/2in., 1/11

Heavy Spoon Baits, for Sea Fishing—
 No. 11, 1/11; No. 12, 2/-; No. 13, 3/6; No. 14, 2/6

Allwood's Spinner Baits—
 Salmon, 1/7; Large Trout, 1/6; Trout 1/4



ANTHONY HORDERN & SONS, LTD., ONLY UNIVERSAL PROVIDERS

FLIES AND OTHER FISH BAITS.



Wright's Artificial Flies, Governor, March Brown, Alder, Coachman, White Moth, &c., for Trout, on model perfect, to Gut or T.D. Eye Hooks—

1/8 doz.

Sprat Flies ... 1/- ..



SALMON FLY.

Salmon, Jock Scott, Silver Doctor, Durham Ranger, &c. ... 1/4 each
Patent Bait Prawns ... -/9 ..
" " Shrimps ... 1/- ..
May Flies, with bustard wings ... 3/- doz.



PRAWN BAITS.



No. 1. MINNOW BAITS. No. 2.

Paragon Spinner Baits, 4 1/2 in. (No. 1) ... 3/- each
Tarpon Baits, 4 in. ... 3/9 ..
Minnows ... No. 2, 1/-; No. 3, 1/- ..
Insects, assorted ... -/5 1/2 ..
"A1" Spinner Baits, 4 in. ... 1/6 ..
"Otter" ... 2 1/2 in., 1/-; 3 in., 1/3; 3 1/2 in., 1/6 ..
"Spiral" ... 3 1/2 in. ... 2/9 ..
"Plunger" ... 3 in. ... 3/- ..
Green's Patent Spoon Phantom Baits, 1 1/2 in. 1/6 ..
Fly Books ... 1/4, 3/-, 4/9, 5/- ..

Sinkers—

Barrel Leads, Nos. 1, 2, 3 ... -/4, -/6, -/8 doz.
Barrel Shape, Nos. 4, 5, 6 ... -/10, 1/-, 1/2 ..
Oval, Nos. 4, 5, 6, 7 ... -/8 ..

These are all running Sinkers.

Spoon Shape, for Beach Fishing ... -/8, -/10, 1/- doz.
Round, Flat ... -/8, -/10, 1/- ..
Larger sizes for Schnapper Fishing, 10 oz. to 1 1/2 lb. -/24 lb.

American Worm Lead Sinkers—

Nos.	1	3	5
	-/6	-/8	1/- doz.

Pierced Bullets—

Nos.	1	2	3	4	5	7	8	9
	-/5	-/5	-/6	-/8	-/7	-/10	1/-	1/2 doz.

Lead Sinker Moulds—

Round Running, 2/6; Beach, 4/6; Schnapper, 5/9 each
Brass Running ... 2/9 ..
To make up to 1 1/2 lb., Boat shape ... 1/9 ..
Split Shot, in Nickel Boxes ... -/5 box



The Sydney Spinner, double ... -/9 each
" " " single ... -/7 ..
Sydney Spoon Flashies ... small, -/4; large, -/5 ..



STRIKING SUCCESSES on ROYAL ENFIELDS, AT HOME AND ABROAD DURING 1913.

Some of the innumerable performances which have been accomplished on ROYAL ENFIELDS during the past season.

1913.

January 25	... The First Indian Tourist Trophy Race. FIRST ... 2½-h.p. Royal Enfield.
April 3	... Bloemfontein Hill Climb. FIRST ... 2½-h.p. Royal Enfield.
May 10 and 12	... M.C.C. London—Edinburgh and back. THREE GOLD MEDALS awarded 6-h.p. Royal Enfield Side-car Combinations (for completing double journey in each case).
June 21	... South Birmingham Reliability Trial. NEW HUDSON CUP won on 6-h.p. Enfield, also BRONZE MEDAL.
June 28	... Svenska (Sweden) M.K. Reliability Trial. FIRST ... 2½-h.p. Royal Enfield.
July 16	... Brooklands Open Six Hours' Race (350 c.c. class). THREE 3-h.p. Royal Enfields competed. THREE 3-h.p. Royal Enfields finished. THREE 3-h.p. Royal Enfields broke previous Six Hours' Record.
August 4	... Cape Peninsula (South Africa) Reliability Trial. FIRST ... 6-h.p. Royal Enfield Side-car Combination.
September 13	... Brooklands One Hour Team Race, open to all comers. FIRST ... Enfield 3-h.p. Team 155 miles 684 yards SECOND Team (1, 7-h.p.; 2, 3½'s) 129 " 1730 " THIRD ... Team (3, 3½'s) 120 " 523 " FOURTH Team (3, 3½'s) 106 " 199 "
October 16	... Cape Peninsula Reliability Trial. FIRST ... 6-h.p. Royal Enfield Side-car Combination.
October 18	... Brooklands One Hour A.C.U. Championship (350 c.c. class). 3-h.p. Royal Enfield covered 54 miles 1,042 yards in the hour.
October 18	... H. V. Colver, on a 3-h.p. Royal Enfield (350 c.c.) with Side-car and passenger made One Hour Side-car Record for Brooklands, covering 40 miles 988 yards in the hour on the 350 c.c.
November 1	... Canberra (N.S.W.) Club's Ten Mile Road Race FIRST and FASTEST TIME (11 minutes 1 second) claimed to be a record.
December, 1913	Sydney-Melbourne Reliability Contest. GOLD MEDAL, 3-h.p. Royal Enfield. Finished without loss of a point.


Sole Agents in New South Wales and Queensland:

Anthony Hordern & Sons, Ltd.,

Only Universal Providers,

EMPORIUM, BRICKFIELD HILL, SYDNEY.

ON THE HISTORIC SLOPE OF BRICKFIELD HILL



THREE-QUARTERS of a MILLION POUNDS' worth of the WORLD'S COMMODITIES await the approval of the People.

ANTHONY HORDERN & SONS, LTD.

...Only Universal Providers...

NEW PALACE EMPORIUM, BRICKFIELD HILL, SYDNEY.